

# Interior walls

PRODUCT GUIDE



PROTECTION  
RENOVATION  
DECORATION




  
Quality Paints since 1845  
**MATHYS**<sup>®</sup>



## LEGEND

- 03 INTRODUCTION
- 04-05 ENVIRONMENT & HEALTH
- 06-09 PREPARATION
- 10-19 FINISH
  - 10-11 PARACEM® DECO
  - 12-13 PARACEM® DECO NATURE
  - 14-15 CACHEMIRE®
  - 16 GARNISSANTS
  - 17 DIVERSEN
- 18-21 ALL SYSTEMS IN ONE GLANCE
- 22 COLOUR COLLECTIONS

# PRODUCT GUIDE



Mathys® has long been offering a complete range of professional interior paints, adapted to every type of application or substrate. Interior wall paints that meet all requirements regarding degrees of gloss, opacity, colour and ease of application.

## The perfect finish for beautiful results

Whether you're after a contemporary, stylishly classical or sleek modern interior, Mathys® always has the right products available. Professional products that ensure a perfect finish for all interior walls and ceilings. The combination of good substrate preparation and the right finish always ensures the best results!

*This brochure gives you an overview of the most common paint systems by Mathys® that ensure you can finish any room to perfection.*





Mathys® works for better health and a better environment !



## Environment & Health

By choosing Corporate Social Responsibility, you choose a harmonious combination of the 3 P's: People, Planet and Profit. This helps business activities to contribute to a sustainable society.

This also involves choosing products and services with the lowest possible negative impact on people, the environment and society, in short **approved by nature**.

This is an attitude that goes further than just following the rules and laws. It often results in an organization that is more innovative and efficient, with a pleasant work culture where there is room for respect and dialogue. Such a company or organization can be proud of a positive image, and is respected and trusted by many.

### Striving for the best solution for our customers

Under European Directive 2004/42/EC and the resulting national legislation, the maximum proportion of VOCs in grams per litre of ready-to-use paints and varnishes is strictly limited. Aside from a few well-defined exceptions for certain sectors and applications, it has not been permitted to use or sell paints that exceed these established maximum values since the 1st of January 2010. This involves paints and varnishes for the interiors and exteriors of buildings that are applied by professional painters as well as by private individuals. Although paint manufacturers have done their best to modify their products, and the levels of VOCs in paints and varnishes have been reduced dramatically, their impact on people and the environment remains considerable. They are only safe for people and the environment with the correct painting technique and high quality paint that contains little or no solvents.

\* VOC are volatile substances. These are hydrocarbon compounds that can easily evaporate. This can result in air pollution and acidification.



Environment & nature friendly paints from Mathys®

*The Paracem® Deco Nature range of paints is certified by the "econature" label, an internal quality label that Mathys® adheres to in order to supply paint products with very low VOC levels for professional and private end users.*

*By assigning this label, you can be certain that these products are not harmful to us or to the environment.*

*In short: **approved by nature**.*



For more information : [www.eco-nature.info](http://www.eco-nature.info)



## A proper start is halfway to winning!

You get the nicest finish through proper pre-treatment of the substrate.

It is important for damaged, irregular substrates to be cleaned and repaired, or for highly porous walls and ceilings to be coated with the appropriate primers. Only then should the finishing coat be applied.

**STEP 1 : Preparation**

**STEP 2 : Choosing the right product**

### STEP 1

#### Preparation

The preparation depends on the type and condition of the substrate. A thorough analysis is thus important for correct treatment of the walls and ceilings.

##### UNTREATED WALLS AND CEILINGS

- Free the plasterwork of dust (by dusting or brushing). We advise against using water because water causes powdering of the substrate. If powdering or nitrates are still present, the surface needs to be fixed with a fixative.
- Get rid of crevices and imperfections by using a filler, and seal small cracks and joints.
- Isolate nicotine or water stains to prevent the spots bleeding through into the final finish.

##### PAINTED WALLS AND CEILINGS

- Paint straight over old, porous paint layers in good condition. Soiled non-porous substrates are best washed gently; the wall must then be left sufficiently long to dry out.
- Lightly sand off old paint layers in poor condition, dust them off and then use a primer.
- After cleaning and repair, we recommend using a primer. This makes for a better result.

##### PLASTERBOARD

- Always fill the joints between plasterboards and, after drying, roughen up the filler here and there and then apply a primer coat.

##### BRICK INTERIOR WALLS

- Remove any nitrates and then apply a primer coat.

##### CEMENT WORK AND CONCRETE

- Remove any nitrates and apply a primer coat.

##### BATHROOMS & KITCHENS

- Always use a paint system that is suitable for damp walls, as well as one that is very easy to wash off.

##### PERMANENTLY DAMP WALLS

- There may be many underlying causes of this:
  - Rising damp
  - Leaks
  - Rainwater penetration
- For such walls, in the first instance, it is very important to tackle the cause and to fix this. Only then can finishing the walls begin.

##### OLD WALLPAPER

- We advise against painting over old wallpaper because of possible bubble formation, and moreover, removal of the paper (after it has been painted) is also much more difficult.

##### PAINTING FIBREGLASS WALLPAPER

- It covers cracks (and also reduces the formation of new cracks), strengthens the wall and gets rid of imperfections. For various rooms, fibreglass wallpaper can be a decorative and ideal solution. Paintable with most finishing products.

### STEP 2

#### Choosing the right product

Durable protection and decoration of your interior project, that's what we aim for. With our product guide, you can fine-tune your choice depending on the substrate and the desired aesthetic result.

ASPECT

+

COLOUR

=

reflection of  
your personality



Mathys® has a wide range of excellent primers and repair products, for preparing substrates with the necessary care.

### Fixonal



- Fixator
- Fixes and reinforces the substrate
- Quick-drying
- Flexible



### Pegafix Universal



- Colourless impregnating primer
- Strong fixing power
- Suitable for various slightly chalky and porous substrates



### Porisol



- Pore filler
- Fixator
- Nearly odourless



### Paracem® Deco Primer



- Strengthens the substrate and reduces porosity
- Neutralises differences in absorption
- Covers really well
- Prevents different degrees of gloss in the final coat
- Primer to be used in combination with products from the Paracem® Deco range



### Paracem® Deco Nature Primer



- Ecolabel®
- Water-based impregnating primer
- Strong fixing power
- Suitable for most substrates
- Use this primer in conjunction with a product from the Paracem® Deco Nature collection
- Loi Grenelle (Sustainable Energy) Class A



### Pegaprim Xpress



- Isolating and quick-drying universal bonding primer
- Good filling and opacity
- Tightly adhering paint film
- Flexible




### Pegaprim Isofix



- Ultra-isolating and quick-drying universal bonding primer
- Masks odours
- Very fast drying
- Tightly adhering paint film



### Pegacrete



- Repair product for interior and exterior work
- Filling cracks, holes and other damage in concrete, cement
- Rapid curing
- Good mechanical strength
- 100 % shrink-proof
- Easy to apply



### Elastofill



- Multi-use: sealing - filling - fixing - gluing - stopping up
- Universally paintable
- Permanently elastic
- Interior and exterior use
- + 30 years' experience



### Plastopan Latex



- Extra white latex filler
- Elastic and flexible
- Easy to spread
- Easily sanded



### ElastoPro



- Acrylic sealant of professional quality
- Sealing of connecting joints and cracks
- Quick and paintable
- Interior use
- Excellent adhesion



### Pegaflex



- Universal levelling filler
- High flexibility
- Excellent adhesion
- Sanded easily





## Paracem® Deco

The Paracem® Deco range is a complete selection of high-quality acrylic paints for all your interior walls and ceilings. Available in various degrees of gloss and in all colours: matte (Paracem® Deco Matt), satin gloss (Paracem® Deco Satin) and satin matte (Paracem® Deco Semi-Matt). The range is completed with ceiling paint (Paracem® Deco Plafond) and a washable matte renovation paint (Paracem® Deco Premium Mat).

### FEATURES

- High-quality decorative finish for interior walls and ceilings
- Suitable for most substrates: plaster, brick, concrete, fibreglass...
- For use in both private and public buildings
- Excellent flow
- Good opacity
- No tendency to overlapping
- Good mechanical resistance to rubbing
- Spatter-free
- Tight film structure (Semi-Matt and Satin)
- Washable (Semi-Matt and Satin)
- Available in virtually any colour



	Paracem® Deco Matt	Paracem® Deco Semi-Matt	Paracem® Deco Satin
Appearance	Matt	Satin matt	Satin
Coverage	7-9 m <sup>2</sup> /l	7-10 m <sup>2</sup> /l	7-10 m <sup>2</sup> /l
Colours	White + all colours via ColourShop®		



### Mathys® TIP

In order to obtain optimal end results, first use the Paracem® Deco Primer (see p.8 for more info)



### Paracem® Deco Plafond



Super opaque extra matte acrylic paint. Because of the long open time, lapping and overlapping can be easily avoided, this makes Paracem® Deco Plafond ideal for ceilings.

- Conceals imperfections through its matte appearance
- Covers with a single coat
- Can stay open a long time
- No tendency to lapping
- Suitable for most substrates
- Available in pastel colours

### Paracem® Deco Premium Mat



Isolating renovation paint with good coverage for interior walls and ceilings. Paracem® Deco Premium Mat is a monoproduct = primer and topcoat in 1 product.

- Isolates spots (soot, nicotine, water rings ...)
- Completely matte appearance
- Good flow without lapping
- Water vapour permeable
- Can be lightly cleaned
- Available in pastel colours

	Paracem® Deco Plafond	Paracem® Deco Premium Mat
Appearance	Matt	Matt
Coverage	6-8 m <sup>2</sup> /l	6-8 m <sup>2</sup> /l
Colours	White + base P - pastel colours	White + base P - pastel colours





# Paracem® Deco Nature

The Paracem® Deco Nature paint selection is the best alternative for anyone who cares about his own welfare and that of others. These interior wall and ceiling paints are registered with the prestigious European Ecolabel®\* mark of quality.

In this range we have three types of gloss: Matt - Satin - Semi-Matt

\*not all basic paints are uniformly Ecolabel® approved as yet, the Ecolabel does not apply when colourants are added.



## FEATURES

- Water-based acrylic paint
  - Optimal opacity
  - Quick-drying
  - Easy to use
  - Odourless
  - Available in virtually any colour
  - Loi Grenelle (Sustainable Energy)
- Class A+ for all three types of gloss



For more information : <http://ec.europa.eu/environment/ecolabel>



## The best paint for you and for nature

The Paracem® Deco Nature range of paints is the best alternative for anyone who is concerned with their own well-being and that of others. These interior wall and ceiling paints are registered with the prestigious European Ecolabel® mark. The Ecolabel® is awarded to products and services that have a lower environmental impact, for example with reduced waste and lower emissions for the air, water and soil.

Furthermore, with their new formula Paracem® Deco Nature paints are just as good as conventional interior wall and ceiling paints in terms of ease of use and performance, so the same level of productivity is maintained.

Europe is increasingly requiring countries to use Ecolabel® certified paints for applications in public spaces such as hospitals, municipal public buildings, rest homes, day-care centres, etc.

### Paint registered with the Ecolabel must meet a number of strict requirements:

- It must be of top quality
- The paints must meet certain technical specifications such as coverage, wet scrub resistance
- They must be entirely free of heavy metals and other harmful substances
- There are limit values for air pollution, reduced sulphur emissions and the amount of waste generated in the production of these paints



For more information : [www.eco-nature.info](http://www.eco-nature.info)

	Paracem® Deco Nature Matt	Paracem® Deco Nature Semi-Matt	Paracem® Deco Nature Satin
Appearance	Matt	Satin matt	Satin
Coverage	8-10 m <sup>2</sup> /l	7-10 m <sup>2</sup> /l	10-12 m <sup>2</sup> /l
Colours	White + all colours via ColourShop®		



### Mathys® TIP

In order to obtain optimal end results, first use the Paracem® Deco Nature Primer (see p.8 for more info)



# Cachemire®

Discover the intense beauty of our cashmere-feel Cachemire® colour range. Feel the texture of our designer paints. Cachemire® paints are of the highest quality and, through their designer aspect, bestow an unparalleled richness on all 120 Cachemire® colours. Cachemire® Cashmere is available in 120 colours and six different appearances.



## Cachemire® Mat Intense



- Extra matte acrylic paint
- Conceals imperfections and eliminates reflection
- Durable
- Perfectly opaque
- Radiates extra softness
- Outstanding quality

## Cachemire® Mat Velours



- Easy to apply acrylic paint
- Through its subtle shine, it creates an unparalleled dimension
- Washable
- Perfectly opaque
- Outstanding quality
- Chic silk matte appearance

## Cachemire® Sable



- Velvet matte interior wall paint with fine sand structure
- Creates a decorative sand effect
- Conceals minor imperfections by means of a fine textured coat
- Can be protected with a finish

## Cachemire® Beton



- Water-based decorative plaster for creating an appearance of concrete
- Creates a classical but also sleek, modern atmosphere
- Imitation concrete for an even look
- Can be protected after application with our gel varnish

## Cachemire® Laque Mate



- High-quality lacquer
- Subtle, surprising matte finish
- Excellent flow
- Nearly odourless
- Quick-drying
- Colourfast, scratch-resistant, impact-resistant



### Mathys® TIP

A colour swatch can help you make your final colour choice. Discover our Cachemire® swatch folder and create your own style, your own atmosphere. (See page 22 for more info)

## Cachemire® Metallic



- Bright, warm and glossy finish
- Ideal for small surfaces, accent walls or accessories
- Provides a hint of gloss

## Cachemire® Metallic Finish



- Acrylic gel varnish enriched with metal particles
- Immediately produces a rich glossy metallic finish
- Can be applied as a transparent top coat onto a surface that has been painted

	Cachemire® Mat Intense	Cachemire® Mat Velours	Cachemire® Laque Mate	Cachemire® Sable	Cachemire® Beton	Cachemire® Metallic
Appearance	Matt	Satin-matt	Mat	Fine sand structure	Matt	Gloss
Coverage	7-10 m²/l	7-9 m²/l	7-10 m²/l	8 m²/kg	1-1,5 kg/m²	10-13 m²/l
Colours	120 cachemire® colours via ColourShop®					3 standard colours





## Garnissants

Is your substrate rough and textured? In that case, the water-based interior paints of the Garnissants range offer the solution for you. Les Garnissants are exceptional products because of their outstanding filling power and opacity. Using these products, you can apply a thicker coat and get rid of imperfections or repairs.

Les Garnissants are available in matte (GarniDeco Mat), satin sheen (GarniDeco Satin), satin matte (GarniDeco Soft) and siloxane matte (GarniSil) versions.

### FEATURES

- Optimal result in 2 coats
- Excellent filling capacity
- Ideal for large surfaces
- Dries quickly, enabling two coats to be applied in one day
- Outstanding opacity
- Conceals imperfections in the substrate
- Loi Grenelle (Sustainable Energy) class A+ for GarniDeco Satin



ColourShop®  
ADVANCED COLOUR SERVICE BY RUST-OLEUM MATHYS

### Mathys® TIP

For finishing interior woodwork to perfection, Mathys® also has a satin sheen lacquer paint: **GarniLac Satin**. (See p.22 in the Wood Product guide for more info)

	GarniDeco Mat	GarniDeco Soft	GarniDeco Satin	GarniSil
Appearance	Matt	Satin matt	Satin	Matt
Coverage	7-11 m <sup>2</sup> /l	12 m <sup>2</sup> /l	7-12 m <sup>2</sup> /l	7-12 m <sup>2</sup> /l
Finish	1 or 2 layers, depending on the substrate			
Colours	White + all colours via ColourShop®			



## Pegatex



- Latex paint with uniformly matte appearance
- Interior & exterior use
- Good washability
- Easy to apply
- High opacity
- Available in virtually any colour



## Fairtex



- Matt acrylic paint for interior walls & ceilings
- Uniformly matte appearance without lapping
- Covers perfectly in two coats every variety of porous and non-porous substrates without variations in sheen
- Virtually odour-free
- High degree of whiteness



## Pegamat RL



- Virtually odour-free isolating paint
- Good opacity
- Non-yellowing
- Matte film without lapping
- Isolates nicotine spots, old moisture stains and innumerable colouring agents
- Non-saponifiable



## Fairdecor



- Additive - Drying time extension (longer open time)
- Decorating interior walls in various colour effects



## Divalo



- Protective varnish for interior walls
- Does not yellow
- Uniform satin gloss finish
- Washable
- High mechanical resistance



Voorbehandeling

Decoratieve technieken

Product	W/S	Appearance	Specific features	Destination			Type of substrate							European Ecolabel®	ColourShop®	Law Grenelle class A+ · A · B · C	Wet abrasion resistance class (EN 13300-5.4)	
				Walls	Ceilings	Wood	Topcoats, plasters and derivatives	Old paintwork in good condition	Porous surfaces, inconsistent	Stains	Fiber, paintable wall-paper	Wood						
Cachemire® Beton Primer	☉	-	Bonding primer for use with Cachemire® Beton	✓	✓		✓	✓										
Cachemire® Sable Primer	☉	-	Impregnating primer for use with Cachemire® Sable	✓	✓		✓	✓										
Fixonal	☒	-	Fixes and reinforces the substrate	✓	✓		✓	✓	✓									
Paracem® Deco Nature Primer	☉	-	Impregnating primer	✓	✓		✓	✓				✓						
Paracem® Deco Primer	☉	-	Neutralises differences in the substrate	✓	✓		✓	✓				✓						
Paracem® Effects Primer	☉	-	Impregnating primer	✓	✓		✓	✓										
Pegafix	☉	-	Impregnating primer for porous substrates	✓	✓		✓	✓	✓									
Pegaprim Isofix	☒	-	Isolates stains and masks odours, fast drying	✓	✓	✓	✓	✓			✓	✓	✓					
Pegaprim Xpress	☉	-	Universal isolating and bonding primer, fast drying	✓	✓	✓	✓	✓			✓	✓	✓					
Porisol	☉	-	Pore filler	✓	✓	✓	✓	✓			✓							
Elastofill	☉	-	Acrylic sealant for interior and exterior use	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
ElastoPro	☉	-	Acrylic sealant for interior use, fast drying	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Cachemire® Beton	☉	-	Decorative plaster for the creation of a concrete look	✓	✓		✓	✓	✓	✓	✓							
Cachemire® Beton Finish	☉	-	Gel varnish for protection of Cachemire® Beton	✓	✓													
Cachemire® Metallic	☉	-	Metallic coloured paint	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					
Cachemire® Metallic Finish	☉	-	Gel varnish with metallic particles	✓	✓			✓										
Cachemire Sable	☉	M	Sand paint, structured	✓	✓		✓	✓	✓	✓	✓	✓	✓					
Cachemire® Sable Finish	☉	S-M	Protection varnish for Cachemire® Sable	✓	✓			✓										
Fair Decor	☉	-	Additive for the extension of the drying time of the paint															
Paracem® Effects	☉	M	Sand paint, structured	✓	✓		✓	✓	✓	✓	✓	✓	✓					
Paracem® Effects Finish	☉	S-M	Protection varnish for Paracem® Effects	✓	✓													

LEGEND

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

-  Water based product
-  Solvent based product
-  European Ecolabel®
-  With adapted primer
-  Tintable

Wet abrasion resistance class (EN 13300-5.4)

-  1
-  White: 1
-  Base: 2

Law Grenelle class for France  
A+ · A · B · C

ALL SYSTEMS IN ONE GLANCE

Product	W/S	Appearance	Specific features	Destination			Type of substrate						European Ecolabel®	ColourShop®	Low Grenelle class A+ · A · B · C	Wet abrasion resistance class (EN 13300-5.4)
				Walls	Ceilings	Wood	Topcoats, plasters and derivatives	Old paintwork in good condition	Porous surfaces, inconsistent	Stains	Fiber, paintable wall-paper	Wood				
Cachemire® Mat Intense	☹	M	Extra matt acrylic paint, designer paints	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		● ●
Cachemire® Mat Velours	☹	S-M	Silky matt acrylic paint, designer paints	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		●
Divalo	☹	S-M	Protection varnish	✓	✓			✓						.		
Durbocem	☹	M	Paint for humid walls	✓	✓		✓		✓					.		
Fairtex	☹	M	Matt acrylic paint, very white	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		
GarniDeco Mat	☹	M	Excellent filling properties	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		● ●
GarniDeco Satin	☹	S	Excellent filling properties	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●	A+	●
GarniSil	☹	M	Excellent filling properties - extra matt	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		● ●
Paracem® Deco Matt	☹	M	Matt high quality decorative paint	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		● ●
Paracem® Deco Nature Matt	☹	M	Ecolabel - matt aspect	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●	🌱	●	A+	
Paracem® Deco Nature Satin	☹	S	Ecolabel - satin gloss aspect	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●	🌱	●	A+	
Paracem® Deco Nature Semi-Matt	☹	S-M	Ecolabel - semi-matt aspect	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●	🌱	●	A+	
Paracem® Deco Plafond	☹	M	Ideal for ceilings, long open time		✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		
Paracem® Deco Prestige	☹	M	Isolating, good covering power, mono product	✓	✓		✓ ●	✓	✓ ●	✓	✓ ●	✓ ●		●		
Paracem® Deco Satin	☹	S	Satin gloss high quality decorative paint, washable	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		
Paracem® Deco Semi-Matt (Soft)	☹	S-M	Semi-Matt high quality decorative paint, washable	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		●
Pegamat RL	☹	M	Isolating paint, odour free, matt	✓	✓		✓	✓		✓	✓			.		
Pegatex	☹	M	Latex paint, matt	✓	✓		✓ ●	✓	✓ ●	✓ ●	✓ ●	✓ ●		●		●

LEGEND

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

- ☹ Water based product
- ☹ Solvent based product
- 🌱 European Ecolabel®
- With adapted primer
- Tintable

Wet abrasion resistance class (EN 13300-5.4)

- 1
- White: 1
- Base: 2

Law Grenelle class for France  
A+ · A · B · C

# ColourShop® 2

ADVANCED COLOUR SERVICE BY RUST-OLEUM MATHYS

## IMAGINE™

More than 1,200 contemporary and traditional colours for interior and exterior use.

A colour collection based on and inspired by real life, where colour is really used and doesn't emerge from the pallet of a designer or a colour computer. In addition, 180 RAL colours have been added to these. Imagine™ is a colour collection that inspires and influences...



## COLORIST

297 colours, 33 colour groups. Colorist groups approximately 33 natural basic colours, each with three secondary and five detail colours.

- The basic colours are the colours of natural materials.
- The three secondary colours belong to the same tonal family as the basic colour but vary in brightness or depth. Alternatively, they are complementary to the basic colour.
- The five detail colours are intense and lively colours that either accentuate the basic and secondary colours or else contrast with them.

You can combine all the colours in a group with each other. Using each of the 33 colour groups you can create up to 501 colour combinations.



## CACHEMIRE®

The Cachemire® range has been carefully put together by experienced colour specialists. Constantly in search of new nuances, they designed a palette of 120 colours that give you an idea of what Cachemire® could mean. Colours that give your room an almost palpable aura. The Cachemire® colour chart allows you space for brilliant combinations. By combining colours, they come to life even more, create even more atmosphere. Will you opt for colours from the same colour group or will you go for a more daring combination using one or more contrasting colours?


Whatever you choose, the result is always stunning.



## Discover also our other product guides and product catalog


### Exterior walls

This product guide provides an introduction to our various systems and their gloss grades, textures and applications. For more technical information, please refer to our Facade Paint Systems technical overview brochure or the Product Datasheets.



### Wood

This productguide introduces you to the wood range of Mathys®. For a superior protection and maximum durability for all your wood projects. With its superior and distinctive features, Mathys® gives you the beauty and protection that you look for in wood preservative products. For more technical information, please refer to our Product Datasheets.



### Mathys® Rust-Oleum® product catalog

In this catalog are all products of Mathys®, Rust-Oleum®, Zinsser® and Timberex® clearly displayed, each with a brief technical description and characteristics of the product. With this catalog you can quickly find all the Rust-Oleum® and Mathys® products in a structured manner.



## RUST-OLEUM MATHYS

best solutions in paints & coatings

An RPM Company

**Rust-Oleum Netherlands B.V.**  
Postbus 138  
4700 AC Roosendaal  
Nederland  
T: +31 (0) 165 593 636  
F: +31 (0) 165 593 600

**Rust-Oleum UK Ltd.**  
Rotterdam House  
116 Quayside - Newcastle  
NE1 3DY, United Kingdom  
T +44 (0)2476 717 329

**Rust-Oleum France S.A.S.**  
11, rue Jules Verne - B.P. 60039  
95322 St-Leu-La-Forêt Cedex  
France  
T: +33 (0) 130 40 00 44  
F: +33 (0) 130 40 99 80

**N.V. Martin Mathys S.A.**  
Kolenbergstraat 23  
3545 Zelem  
België/Belgique  
T: +32 (0) 13 460 200  
F: +32 (0) 13 460 201