




# CATALOG





Quality paints for exterior and interior protection and decoration, since 1845

## Decorative Paints & Coatings

Mathys® is one of Europe's foremost professional trade paint brands, with a comprehensive collection of high-performance paints and coatings for the protection, renovation and decoration of walls, ceilings, roofs and floors.

At the forefront of paint technology, Mathys® provides the very best in product quality and performance. Working hand in hand with customers and R&D teams throughout Europe ensures that all products meet the needs of professional decorators and specifiers.

The wide and varied product range offers a one-stop shop, with everything from waterproofing coatings to decorative custom-tinted finishes, with solutions for every indoor and outdoor surface.

Advisors can give guidance on any project, from priming to finishing touches. So professional decorators can rest assured Mathys® is with them every step of the way.

Mathys® is committed to manufacturing sustainable products, always making sure the environment is a key consideration throughout any process, from manufacture to end use.



# Range of decorative paints

# CONTENT

Our new product catalog is an overview of the entire assortment of decorative products. Not all listed items are available in all countries.

Preface Mathys®.....	3
Pictograms .....	5
Preparation .....	6
Interior Walls & Ceilings .....	8
Preparation.....	14
Primers.....	18
Finishing.....	22
Exterior Walls .....	32
Preparation .....	34
Primers .....	36
Waterproofing Systems .....	40
Decorative finish .....	42
Anti-Graffiti .....	45
Water repellent products.....	45
Wood.....	46
Preparation .....	50
Primers .....	52
Opaque wood finish Lacquers .....	54
Opaque wood finish Stains.....	57
Transparent wood finish Stains .....	58
Transparent wood finish Varnishes.....	60
Metals - Roofs - Floors.....	62
Primers .....	62
Decorative finish .....	64
Colour.....	66
Alphabetic product list.....	67



## THE RIGHT PRODUCT FOR EVERY SURFACE!


Modern, effective solutions for the protection, renovation and decoration of façades, interior and exterior walls, wood, floors and roofs.

### PICTOGRAMS

-  Inside, outside, or Inside & outside
-  Water based
-  Solvent based
-  Usage 1-kg/m²
-  Drying time
-  Paintable after
-  Application
-  Recommended temperature



**Directive Grenelle (France)**  
**Indoor emissions.**  
In addition to the European VOC directive, the French legislation on the reduction of indoor air emissions requires the labelling of paint products with an indication of their emissions of volatile substances. There are four classes (A+, A, B, C), Class A+ gives the lowest emissions.

 All bases that can be tinted are indicated with the ColourShop® logo.



Protection - Renovation - Decoration

# INTERIOR WALLS & CEILINGS

Mathys® has long been offering a complete range of professional interior paints, adapted to every type of application or substrate.

## The perfect finish for beautiful results

Whether you're after a contemporary, stylishly classical or sleek modern interior, Mathys® always has the right products available. Professional products that ensure a perfect finish for all interior walls and ceilings. The combination of good substrate preparation and the right finish always ensures the best results!

## Mathys® works for better health and a better environment!

By choosing Corporate Social Responsibility, you choose a harmonious combination of the 3 P's: People, Planet and Profit. This helps business activities to contribute to a sustainable society. This also involves choosing products and services with the lowest possible negative impact on people, the environment and society, in short approved by nature.



*This product catalog is an overview of the entire assortment of decorative products.  
Not all listed items are available in all countries.*

## PREPARATION

ELASTOPRO	14
MUR-FILLER	15
PLASTOPAN LATEX	15
PEGAFLEX®	15
MULTI CLEANER	16
RAPID® SUPER PLUS	16
ELASTOFILL®	16

## PRIMERS

PARACEM® DECO PRIMER	18
PEGAFIX UNIVERSAL	19
PORISOL®	19
CACHEMIRE SABLE PRIMER	19
CACHEMIRE BETON PRIMER	19
PARACEM® DECO NATURE PRIMER	20
PEGAPRIM® XPRESS	20
PEGAPRIM® ISOFIX	20
PEGAPRIM® SANITOP	20

## FINISHING

PARACEM® DECO PLAFOND	22
PARACEM® DECO MATT	23
PARACEM® DECO SEMI-MATT	23
PARACEM® DECO SATIN	23
PARACEM® DECO ULTRA CLEAN XTRA MATT	23
PARACEM® DECO ULTRA CLEAN MATT	24
PARACEM® DECO NATURE MATT	24
PARACEM® DECO NATURE SEMI-MATT	24
PARACEM® DECO NATURE SATIN	24
PEGATEX®	25
FAIRTEX®	25
PEGAMAT® AQUA ISOLE	25
PEGAMAT® RL ISOLE	25
PEGAPRIM® SANITOP	26
FAIR-DECOR	26
DIVALO	26
DURBOCEM®	26
CACHEMIRE MAT VELOURS	27
CACHEMIRE MAT INTENSE	27
CACHEMIRE LAQUE MATE	27
CACHEMIRE SABLE BASE	28
CACHEMIRE SABLE FINISH	28
CACHEMIRE BETON BASE	28
CACHEMIRE BETON FINISH	29
CACHEMIRE METALLIC	29
CACHEMIRE METALLIC FINISH	29
PEGAMAT® AQUA ISOLE AE	30
BRUSH CLEANER	31



# A GOOD START IS HALF THE WORK!

You get the nicest finish through proper pre-treatment of the substrate.

It is important for damaged, irregular substrates to be cleaned and repaired, or for highly porous walls and ceilings to be coated with the appropriate primers. Only then should the finishing coat be applied.

**Step 1 : Preparation**

**Step 2 : Choosing the right product**

## PREPARATION

The preparation depends on the type and condition of the substrate. A thorough analysis is thus important for correct treatment of the walls and ceilings.

### UNTREATED WALLS AND CEILINGS

- Free the plasterwork of dust (by dusting or brushing). We advise against using water because water causes powdering of the substrate. If powdering or nitrates are still present, the surface needs to be fixed with a fixative.
- Get rid of crevices and imperfections by using a filler, and seal small cracks and joints.
- Isolate nicotine or water stains to prevent the spots bleeding through into the final finish.

### PAINTED WALLS AND CEILINGS

- Paint straight over old, porous paint layers in good condition. Soiled non-porous substrates are best washed gently; the wall must then be left sufficiently long to dry out.
- Lightly sand off old paint layers in poor condition, dust them off and then use a primer.
- After cleaning and repair, we recommend using a primer. This makes for a better result.

### PLASTERBOARD

Always fill the joints between plasterboards and, after drying, roughen up the filler here and there and then apply a primer coat.

### BRICK INTERIOR WALLS

Remove any nitrates and then apply a primer coat.

### CEMENT WORK AND CONCRETE

Remove any nitrates and apply a primer coat.

### BATHROOMS & KITCHENS

Always use a paint system that is suitable for damp walls, as well as one that is very easy to wash off.

### PERMANENTLY DAMP WALLS

- There may be many underlying causes of this:
  - Rising damp
  - Leaks
  - Rainwater penetration
- For such walls, in the first instance, it is very important to tackle the cause and to fix this. Only then can finishing the walls begin.

### OLD WALLPAPER

We advise against painting over old wallpaper because of possible bubble formation, and moreover, removal of the paper (after it has been painted) is also much more difficult.

### PAINTING FIBREGLASS WALLPAPER

It covers cracks (and also reduces the formation of new cracks), strengthens the wall and gets rid of imperfections. For various rooms, fibreglass wallpaper can be a decorative and ideal solution. Paintable with most finishing products.

## CHOOSING THE RIGHT PRODUCT

Durable protection and decoration of your interior project, that's what we aim for. With our product guide, you can finetune your choice depending on the substrate and the desired aesthetic result.




	Product	W/S	Appearance	Specific features
Preparation	Cachemire Beton Primer	🔹	-	Bonding primer for use with Cachemire Beton
	Cachemire Sable Primer	🔹	-	Impregnating primer for use with Cachemire Sable
	Paracem® Deco Nature Primer	🔹	-	Impregnating primer
	Paracem® Deco Primer	🔹	-	Neutralises differences in the substrate
	Pegafix	🔹	-	Impregnating primer for porous substrates
	Pegaprim Isofix	🔧	-	Isolates stains and masks odours, fast drying
	Pegaprim Sanitop	🔹	S-M	Primer & topcoat in one
	Pegaprim Xpress	🔹	-	Universal isolating and bonding primer, fast drying
	Rapid® Super Plus	🔧	-	High viscosity paint stripper
	Plastopan Latex	🔹	-	Extra white putty filler
	Pegaflex	🔹	-	Leveling filler
	Porisol	🔹	-	Pore filler
	Elastofill®	🔹	-	Acrylic sealant for interior use
	ElastoPro	🔹	-	Acrylic sealant for interior and exterior use
Decorative techniques	Cachemire Beton	🔹	-	Decorative plaster for the creation of a concrete look
	Cachemire Beton Finish	🔹	-	Gel varnish for protection of Cachemire Beton
	Cachemire Metallic	🔹	-	Metallic coloured paint
	Cachemire Metallic Finish	🔹	-	Gel varnish with metallic particles
	Cachemire Sable	🔹	M	Sand paint, structured
	Cachemire Sable Finish	🔹	S-M	Protection varnish for Cachemire Sable
	Fair-Decor	🔹	-	Additive for the extension of the drying time of the paint

#### LEGEND

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

- 🔹 Water based product (W)
- 🔧 Solvent based product (S)
- 🌿 European Ecolabel
- With adapted primer
- ② Tintable

Destination			Type of substrate									
Walls	Ceilings	Wood	Topcoats, plasters and derivatives	Old paintwork in good condition	Porous surfaces, inconsistent	Stains	Fiber, paintable wallpaper	Wood	European Ecolabel	ColourShop <sup>2</sup> <small>COULEUR CHOISIE EN 100% PRODUITS NATURELS</small>	Classe directive Grenelle	Wet abrasion resistance class (EN 13300)
✓	✓		✓	✓					-	②	A+	-
✓	✓		✓	✓	✓				-	②	A+	-
✓	✓		✓	✓			✓			②	A	-
✓	✓		✓	✓	✓		✓		-	-	A+	-
✓	✓		✓	✓	✓				-	-	A+	-
✓	✓	✓	✓	✓		✓	✓	✓	-	-	A+	-
✓			✓	●	●				-	-	A+	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	A+	-
✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	C	-
✓			✓	✓	✓				-	-	C	-
✓			✓	✓	✓				-	-	C	-
✓	✓	✓	✓	✓	✓	✓		✓	-	-	C	-
✓	✓	✓	●	✓	●	●	✓	✓	-	-	A+	-
✓	✓	✓	●	✓	●	●	✓	✓	-	-	A+	-
✓	✓		●	✓	●	●			-	②	A+	-
✓	✓			✓					-	-	A+	-
✓	✓	✓	●	✓	●	●	●	✓	-	-	A+	-
✓	✓			✓					-	-	A+	-
✓	✓		●	✓	●	●	●		-	②	A+	-
✓	✓			✓					-	-	A+	-
✓			✓	✓	✓	✓			-	-	A+	-

INTERIOR WALLS & CEILINGS

EXTERIOR WALLS

WOOD

METALS, FLOORS & ROOFS







	Product	W/S	Appearance	Specific features
Finish	Cachemire Laque Mate	🔗	M	High quality mat lacquer
	Cachemire Mat Intense	🔗	M	Extra matt acrylic paint, designer paints
	Cachemire Mat Velours	🔗	S-M	Silky matt acrylic paint, designer paints
	Divalo	🔗	S-M	Protection varnish
	Durbocem	🔗	M	Paint for humid walls
	Fairtex	🔗	M	Matt acrylic paint, very white
	Paracem® Deco Matt	🔗	M	Matt high quality decorative paint
	Paracem® Deco Nature Matt	🔗	M	Ecolabel - matt aspect
	Paracem® Deco Nature Satin	🔗	S	Ecolabel - satin gloss aspect
	Paracem® Deco Nature Semi-Matt	🔗	S-M	Ecolabel - semi-matt aspect
	Paracem® Deco Plafond	🔗	M	Ideal for ceilings, long open time
	Paracem® Deco Ultra Clean Matt	🔗	M	Washable interior wall paint with a matt finish
	Paracem® Deco Ultra Clean Xtra Matt	🔗	M	Excellent washable, extra-matt interior paint
	Paracem® Deco Satin	🔗	S	Satin gloss high quality decorative paint, washable
	Paracem® Deco Semi-Matt (Soft)	🔗	S-M	Semi-Matt high quality decorative paint, washable
	Pegamat Aqua Isole	🔗	M	Water-based renovation paint
	Pegamat RL	🔗	M	Isolating paint, odour free, matt
	Pegaprim Sanitop	🔗	S-M	Primer & topcoat in one
	Pegatex	🔗	M	Latex paint, matt

#### LEGEND

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

- 🔗 Water based product (W)
- 🔗 Solvent based product (S)
- 🌿 European Ecolabel
- With adapted primer
- ② Tintable

Destination			Type of substrate						European Ecolabel		Classe directive Grenelle	Wet abrasion resistance class (EN 13300)
Walls	Ceilings	Wood	Topcoats, plasters and derivatives	Old paintwork in good condition	Porous surfaces, inconsistent	Stains	Fiber, paintable wallpaper	Wood				
✓	✓	✓	●	✓	●	●		✓	-	②	A+	-
✓	✓		●	✓	●	●	●		-	②	A	-
✓	✓		●	✓	●	●	●		-	②	A+	-
✓	✓			✓					-	-	A+	-
✓	✓		✓		✓				-	-	C	-
✓	✓		●	✓	●	●	●		-	②	A	2
✓	✓		●	✓	●	●	●		-	②	A	White 1 - Base 2
✓	✓		●	✓	●	●	●			②	A+	White 1 - Base 2
✓	✓		●	✓	●	●	●			②	A+	1
✓	✓		●	✓	●	●	●			②	A+	1
✓	✓		●	✓	●	●	●		-	②	A+	-
✓			●	✓	●	✓	●		-	②	A	1
✓			●	✓	●	●	●		-	②	A+	1
✓	✓		●	✓	●	●	●		-	②	A+	1
✓	✓		●	✓	●	●	●		-	②	A+	1
✓	✓		✓	✓	●	✓			-	②	A+	-
✓	✓		✓	✓		✓	✓		-	-	A+	-
✓			✓	●	●				-	-	A+	-
✓	✓		●	✓	●	●	●		-	②	B	1

INTERIOR WALLS & CEILINGS

EXTERIOR WALLS

WOOD

METALS, FLOORS & ROOFS



# SURFACE PREPARATION REPAIR PRODUCTS



**ELASTOPRO**  
Elastic acrylic sealant of professional painter's quality

- Sealing and finishing of joints and cracks
- Quick recoatable
- For inside & outside use
- Excellent adhesion



310 ml





**MUR-FILLER**  
Elastic joint filler with quartz

- High filling power
- Filler for reparation of active and non-active cracks, can be used interior and exterior
- Elastic



310 ml





**PLASTOPAN LATEX**  
Extra white putty filler

- Very elastic and flexible
- Easy to apply
- Easy to sand



5 kg





**PEGAFLEX®**  
Leveling filler

- High flexibility and elasticity - can be sanded easily
- Excellent adhesion on all sound substrates and paints
- Perfect alkali resistant
- Hardly absorbs the binder of the paints on top of it thus avoiding dry spots



1 kg - 5 kg








## MULTI CLEANER

### Universal cleaning agent and degreaser

- Degreasing of surfaces - Non smelling - Non-foaming
- Inside and outside use
- Makes surfaces antistatic before painting
- Biologically degradable, user-friendly




1 l



## RAPID® SUPER PLUS

### High viscosity green paint stripper

- Without methylene chloride
- Very active and effective stripping effect
- Very suitable for all kind of paints (water and solvent based)
- Also suitable as glue remover



1 l - 2.5 l



## ELASTOFILL®

### Acrylic sealant for interior use

- Forms a rubberlike mass with permanently high elasticity (> 900%) after evaporation of the water
- Alkali resistant
- Permanent high elasticity
- Absorbs strong expansions and deformations



310 ml - 125 cc



Elastofill for kitten,  
gluing, jointing, filling,  
for ... everything!



THE BEST BRAND FOR REAL WORK



## PRIMERS

# FIXING & ISOLATING



### PARACEM® DECO PRIMER

#### Absorption neutralizing and good covering primer

- Reinforces the surface and minimises the absorption power
- Good filling and hiding power - good hiding characteristics
- Prevents gloss differences in the top coat
- Using in combination with Paint products of Paracem® Deco assortment



11-41-101




### PEGAFIX UNIVERSAL

#### Colourless impregnating primer

- High fixing capacity
- Applicable on porous or chalking substrates



0.75 l - 4 l - 18 l



### PORISOL®

#### Pore-filler

- Impregnating and isolating agent
- Fixing
- Nearly odorless



1 l - 5 l




### CACHEMIRE SABLE PRIMER

#### Impregnating primer based on acrylic dispersions

- Bonding layer for Cachemire Sable on powdery or porous surfaces
- Prevents absorption of paints on porous substrates
- Good covering power
- Odourless



4 l



### CACHEMIRE BETON PRIMER

#### Adhesive primer with a fine granular structure


- Bonding layer for Cachemire Beton
- Good adhesion - very good coverage
- Nearly odourless, micro-porous, quick drying
- Can be tinted the same colour as the finish



5 kg











**PARACEM® DECO NATURE PRIMER**  
Waterborne impregnation primer

- Ecolabel
- Fixation primer reinforces the adhesion
- For nearly all surfaces
- Finish with products of Paracem® Deco Nature assortment




5 l - 10 l



**PEGAPRIM® XPRESS**  
Stain-blocking and fast-drying universal adhesion primer

- Good filling and hiding power
- Sticks to all surfaces without sanding
- Recoatable with most water and solvent borne decorative paints
- Quick drying, 1 hour recoat time





1 l - 5 l - 10 l



**PEGAPRIM® ISOFIX**  
Ultimate performance stain killer

- For interior and spot exterior use
- Sticks to all surfaces without sanding
- Seals knots & sap streaks
- Seals pet, smoke and musty odours





1 l - 5 l



**PEGAPRIM® SANITOP**  
Primer & topcoat in one

- Protection of the dry film against fungal degradation
- High quality satin matt finishing for Interior and exterior
- Good adhesion
- Ideal for damp areas





1 l - 5 l

# HELP SUPPORT ADVICE SERVICE HOW-TO

## TECHNICAL AND PRODUCT-RELATED ADVICE

Each Mathys® product has its own specific properties. You can count on our excellent team of technical consultants and specialists for more advice. They have a wealth of technical knowledge to share, in function of your specific project. Professional painters, wholesalers, principals and DIY painters can always rely on our advice. Ask your question!

## CUSTOMER SERVICE

Mathys® believes in providing premium customer service. Our team of consultants always provides maximum support and guidance in our points of sale or onsite. Because our main aim is to provide quality – in terms of products and service. Do you have a question? Did an unexpected problem arise?

Call us or fill in the online form.





# FINISHING WALLS & CEILINGS

## PARACEM® DECO PLAFOND Super covering and extra matt acrylic ceiling paint

- Uniform matt finish, no tendency to overlap
- Exceptional high covering power (covers mostly in 1 layer)
- Delayed drying - enables to paint large surfaces
- Applicable on most mineral substrates




1 l - 4 l - 10 l



## PARACEM® DECO MATT High-quality matt interior wall paint

- Applicable on most substrates (plaster, bricks, concrete, etc.)
- Excellent flow
- High covering power - No tendency to overlap
- Good mechanical resistance against rubbing




1 l - 2.5 l - 4 l - 10 l



## PARACEM® DECO SEMI-MATT High-quality semi-matt interior wall paint

- Applicable on most substrates (plaster, bricks, concrete, etc.)
- Excellent flow
- High covering power - No tendency to overlap
- Closed paint film - cleanable



1 l - 4 l - 10 l



## PARACEM® DECO SATIN High-quality satin gloss interior wall paint

- Applicable on most substrates (plaster, bricks, concrete, etc.)
- Excellent flow
- High covering power - no tendency to overlap
- Closed paint film - cleanable



1 l - 4 l - 10 l



## PARACEM® DECO ULTRA CLEAN XTRA MATT Excellent washable, extra-matt interior paint

- Excellent washability - Scrub resistance class 1
- Not glossy
- Limited writing effect in dark colors
- Good coverage
- Excellent flow



1 l - 4 l - 10 l






### PARACEM® DECO ULTRA CLEAN MATT

#### Washable matt interior wall paint


- Excellent cleanability
- Excellent mechanical resistance against rubbing
- Smooth matt aspect
- No tendency to overlap



### PEGATEX®

#### Latex paint for interior and exterior

- Uniform matt aspect
- Cleanable
- Easy to apply
- High covering power



### PARACEM® DECO NATURE MATT

#### Paint for interior walls and ceilings


- Excellent flow
- Excellent decorative matt coverage
- Optimal coverage
- No tendency to overlap



### FAIRTEX®

#### Matt acrylic dispersed paint for interior walls and ceilings


- Smooth and completely splash-free roller application
- Uniform matt finish without turning - high whiteness degree
- Covers in 2 coats on porous and non porous substrates
- Odourless



### PARACEM® DECO NATURE SEMI-MATT

#### Paint for interior walls and ceilings


- Excellent flow - high covering power - no tendency to overlap
- Excellent mechanical resistance against rubbing
- Smooth satin matt aspect
- Closed paint film - cleanable



### PEGAMAT® AQUA ISOLE

#### Water based renovation paint

- Ideal for ceilings
- Isolates stains from nicotine, smoke, old damp and sooth stains
- Tension free film - non yellowing - without laps (longer open time)



### PARACEM® DECO NATURE SATIN

#### Paint for interior walls and ceilings


- Excellent flow - high covering power - no tendency to overlap
- Excellent mechanical resistance against rubbing
- Smooth satin gloss aspect
- Closed paint film - cleanable



### PEGAMAT® RL ISOLE

#### Low tension renovation and stain blocking paint

- Ideal for renovation of old damp stains
- Isolates stains from nicotine, smoke, old damp and sooth stains
- Tension free film - non yellowing - without laps (longer open time)
- Low odour








## PEGAPRIM® SANITOP

### Primer & topcoat in one


- Protection of the dry film against fungal degradation
- High quality satin matt finishing for interior and exterior
- Good adhesion
- Ideal for damp areas



## CACHEMIRE MAT VELOURS

### Acrylic silky matt paint


- Creates a velvety smooth, "design" appearance
- Uniform velvety matt appearance
- Good mechanical resistance to rubbing
- Very opaque - cleanable



## FAIR-DECOR

### Additive for waterborne paints


- Extends the drying time of waterborne paints
- Decorates interior walls in different colour effects



## CACHEMIRE MAT INTENSE

### Acrylic extra matt paint


- Hides imperfections and reflections
- Very opaque
- Excellently smooth, powdery, matt effect
- Excellent covering power



## DIVALO

### Protective varnish for interior wall paints


- Non yellowing
- Smooth satin views
- Washable
- High mechanical resistance



## CACHEMIRE LAQUE MATE

### High quality water based mat lacquer

- High quality water based mat lacquer
- Surprising matt appearance
- Exceptionally smooth dry film
- Low odour
- Quick drying



## DURBOCEM®

### Paint based on plasticized acrylic resins

- Builds a strong bond with cement-based substrates
- Extremely suitable to be applied on damp substrates
- Can be applied on chalking substrates
- Can be recoated with Paracem®








### CACHEMIRE SABLE BASE

#### Matt interior wall paint with fine sand structure

- Velvety matt interior wall paint with fine sand structure
- Creates a decorative sand effect
- Hides imperfections and reflections
- No tendency to overlap




1.15 kg - 4.6 kg



### CACHEMIRE METALLIC

#### Water-based Metallic paint

- A bright, warm and glossy finish
- Ideal for small surfaces, feature wall or accessories
- Available in Antique Gold - Silver - Bronze
- Provides a nice metallic effect




0.5 l



### CACHEMIRE SABLE FINISH

#### Waterborne acrylic varnish

- Ideal finish for interior paints and decorative techniques
- High mechanical resistance
- Makes the base paint cleanable and scratch free
- Odourless



1 l - 4 l



### CACHEMIRE METALLIC FINISH

#### Acrylic gel varnish

- Reflects the light and immediately provides a rich gloss metallic finish
- Making the surface antistatic and cleanable
- Transparent with metal / aluminium particles - easy to apply
- Nearly odourless




1 kg



### CACHEMIRE BETON BASE

#### Decorative plaster for creating a concrete look for interiors

- No splashes
- Very good coverage
- Nearly odourless - easy to sand
- Fast-acting



5 kg - 10 kg



### CACHEMIRE BETON FINISH

#### Acrylic gel varnish

- Finish for indoor paints and decorative techniques
- Making the surface antistatic and cleanable
- Transparent, uniform aspect, non-yellowing
- Washable



1 kg - 4 kg



# CLEANING BRUSH CLEANER

**TIP FROM  
MATHYS**

## PEGAMAT® RL ISOLE AE

### Low tension renovation and stain blocking paint

- Permanent blocking of returning nicotine, soot and rust stains, graffiti and water stains
- For interior walls & ceilings
- Can be applied on plaster, cement, wood, concrete, wallpaper and isolation walls



0.5 l



## BRUSH CLEANER

### Renews & restores used and hardened brushes

- Fast acting
- Contains powerful detergents
- Effective on : Shellac, Water & Solvent Based Varnishes and Lacquers, Enamel (Alkyd) Gloss Paints, Water Based Acrylic and Vinyl Paints



1 l



Quality - Reliability - Guarantee

# EXTERIOR WALLS

**Durable protection and beautifying**

The facade is the public face of a home or other building. But a facade is subjected to numerous internal and external influences: sun, wind, moisture, construction faults... The possible consequences are often hard to estimate: cracking, rising damp, rusting concrete reinforcement, loose plastering, moss, mould, algae, ...

Durable protection and regular maintenance of your facade are of vital importance in preventing problems. Mathys® therefore offers an extensive range of paints and coatings that protect and beautify your facade.

**Years of experience translated into expertise**

For more than four decades, Mathys® has been developing effective, contemporary solutions for protecting, renovating and decorating facades. Mathys® distinguishes itself through its expertise and unparalleled quality and has evolved worldwide into the first port of call for facade protection and decoration. Mathys®. Your partner for protecting and beautifying new and renovated facades.

For an optimal, durable solution. Guaranteed.

*This product catalog is an overview of the entire assortment of decorative products.  
Not all listed items are available in all countries.*

**PREPARATION**

PEGAFLEX®	34
MUR-FILLER	35
ELASTOPRO	35
MULTI CLEANER	35

**PRIMERS**

PEGAPRIM EXTERIOR	36
PEGAFIX UNIVERSAL	37
MURFILL® WP INTER	37
MURPRIM S NF	37
FIXONAL	38
PARASIL COMPACT	38

**FINISHING**

MURFILL® WATERPROOFING COATING	40
MURFILL® FLEECE WOVEN	41
MURFILL® FLEECE NON WOVEN	41
MURFILL® QUARTZ	41
MURFILL® WP PLUS NF	41
MURFILL® RP SILOXAN NF	41
PARACEM® UNIVERSAL	42
MURFILL® RENOVATION PAINT	43
MURFILL® RP SILOXAN NF	43
PARASIL	43
PARACEM® SEMI-MATT	43
PARACEM® SEMI-GLOSS	44
PARACEM® QUARTZ	44
DURBOCEM®	44
PEGAGRAFF® HYDRO	45
PEGAGRAFF® CLEANER	45
SECCO® SUPER	45
SECCO® HYDRO CRÈME	45



# SURFACE PREPARATION

## FILLING UP & SANDING

**PEGAFLEX®**  
**Leveling filler**

- High flexibility and elasticity - can be sanded easily
- Excellent adhesion on all sound substrates and paints
- Alkali resistant
- Hardly absorbs the binder of paints on top of it thus avoiding dry spots



1 kg - 5 kg



**MUR-FILLER**  
**Elastic joint filler with quartz**

- High filling power
- Filler for reparation of active and non-active cracks, can be used interior and exterior
- Elastic



310 ml



**ELASTOPRO**  
**Elastic acrylic sealant of professional painter's quality**

- Sealing and finishing of joints and cracks
- Quick recoatable
- For inside & outside use
- Excellent adhesion




310 ml



**MULTI CLEANER**  
**Universal cleaning agent and degreaser**

- Degreasing of surfaces - Non smelling - Non-foaming
- Inside and outside use
- Makes surfaces antistatic before painting
- Biologically degradable, user-friendly



1 l



## PRIMERS

# COVERING & IMPREGNATING

### PEGAPRIM EXTERIOR

**Tintable opaque primer, based on acrylic resins**

- Strengthens the surface and reduces absorption
- Makes the surface uniform in terms of colour and absorption
- Very good hiding characteristics
- Improves the adhesion of the topcoat




5 l - 15 l



### PEGAFIX UNIVERSAL Colourless impregnating primer

- High fixing capacity
- Applicable on porous or chalking substrates



0.75 l - 4 l - 18 l



### MURFILL® WP INTER Elastic intermediate coat for renovation in combination with Murfill® WP Plus NF

- Acrylic system - very flexible
- Waterproof and water vapour permeable
- Elastic - crack bridging
- Very thick coat with high covering power - levels out partial roughness in structured substrates



5 kg - 15 kg



### MURPRIM S NF Primer with high covering power in combination with Murfill® RP Siloxan NF & Murfill® WP Plus NF

- Impregnates and fixes mineral substrates
- Fixes and blocks old paint coats
- Resistant to alkalinity
- Exceptional durability and weather resistance



5 l - 15 l





### FIXONAL Colourless fixating agent

- Fixing and reinforcing
- Resistant to alkalinity - to strengthen all porous or chalking substrates
- Quick drying
- Flexible



### PARASIL COMPACT High build priming and intermediate coat based on acrylic and polysiloxane resins


- Very thick coat with high covering power (application in 1 or 2 coats)
- Levels out partial roughness in structured substrates
- Elastic film - exceptional weather resistance - water vapour permeable
- To recoat with 1 or 2 coats of Parasil®



## NEED TECHNICAL INFORMATION?

**WWW.MATHYSPAINTS.EU**

On the website you will find all our assortments and products.  
References, technical data sheets, points of sale ...  
You can find it all on [www.mathyspaints.eu](http://www.mathyspaints.eu).





# FINISHING WATERPROOFING SYSTEMS

5 to 10 years GUARANTEE on the Mathys® systems

## 3 simple steps to get the guarantee:

1. Ask the Mathys® representative for technical advice
2. Perform the work correctly as described in the technical advice
3. The guarantee certificate will be delivered to you after checking and approval of the work performed according to the official prescription from Mathys® NV.

## Waterproof warranty

With Murfill® products you are guaranteed a lasting beautiful result. Mathys® offers you various guarantee systems.

- Murfill® Waterproofing Coating  
10-year product warranty or 10-year insured Euracor guarantee
- Murfill® Renovation Paint  
5 + 5\* year guarantee
- Murfill® RP Siloxan NF  
10-year product guarantee

The guarantee procedures are available on request.

\* Extension after checking. To be able to claim this guarantee, you must rely on a technical adviser from Mathys®. For more information about our warranty conditions you can always contact your paint wholesaler or the technical and commercial services from Mathys®.

## MURFILL® WATERPROOFING COATING Long lasting elastic, aesthetic and waterproof wall protection

- Elastic - waterproof and water vapour permeable
- Excellent resistance against ageing in normal and industrial environment
- Protects reinforced concrete against carbonisation and corrosion
- Can be combined with Murfill® fleece for additional mechanical reinforcement and for bridging of (active) cracks



1 kg - 6 kg - 15 kg



## MURFILL® QUARTZ

### Facade protection with quartz texture

- Excellent resistance against ageing in normal and industrial environment
- Waterproof and water vapour permeable - elastic
- Protects steel reinforced concrete against carbonization and corrosion
- With structure effects



6 kg - 15 kg



## MURFILL® WP PLUS NF

### Elastic matt waterproof wall protection

- UV-resistance system - based on acrylic resins
- Elastic film - repairs all micro cracks - high covering power
- Waterproof and water vapour permeable
- Exceptional durability and weather resistance



5 kg - 20 kg



## MURFILL® RP SILOXAN NF

### Elastic acrylic poly-siloxane renovation paint

- Excellent resistance against ageing and pollution
- Self-cleaning pearl effect - water repellent - water vapour permeable
- High covering power
- Elastic



5 kg - 20 kg

## MURFILL® FLEECE WOVEN Polyamide fibres woven in block meshes

- Reinforcement of the Murfill® waterproofing system
- 16 cm / 100 m or 100 cm / 100 m

## MURFILL® FLEECE NON WOVEN Polyester fibres

- Reinforcement of the Murfill® waterproofing system
- 16 cm / 100 m or 100 cm / 100 m



# FINISHING DECORATION & PROTECTION

## PARACEM® UNIVERSAL

### Excellent covering universal paint for all outside work

- Usable on all surfaces, such as bricks, gutters, wood, aluminium, etc.
- Colour and weatherproof for long-term protection
- Protection of the dried coat against contamination by mould
- Primer and finishing coat in one



1 l - 4 l - 10 l



## MURFILL® RENOVATION PAINT

### Elastic decorative renovation paint

- > 500% elastic - lasting elasticity till -30°C
- Water vapour permeable
- Excellent resistance against contamination
- Can be combined with Murfill®-Fleece for bridging of (active) cracks




1 kg - 6 kg - 15 kg



## MURFILL® RP SILOXAN NF

### Elastic acrylic poly-siloxane renovation paint

- Excellent resistance against ageing and pollution
- Self-cleaning pearl effect - water repellent - water vapour permeable
- High covering power
- Elastic




5 kg - 20 kg



## PARASIL

### High build matt wall paint with siloxane

- Covers and levels out irregularities and edges partially
- High covering power - high build
- Low odour - micro porous
- Dirt and water repellent - water vapour permeable
- Self-cleaning pearl effect




5 l - 15 l



## PARACEM® SEMI-MATT

### Acrylic wall paint with high covering power

- Particularly high covering capacity
- Perfect saponification resistance
- Sufficiently breathing - excellent weather resistance
- For outside and inside use



0.75 l - 1 l - 4 l - 10 l - 20 l



# ANTI-GRAFFITI & WATER REPELLENT PRODUCTS



**PARACEM® SEMI-GLOSS**  
**Semi-gloss acrylic wall paint with high covering power**

- Particularly high covering capacity
- Gloss stability
- High durability
- Unsaponifiable



1 l - 4 l - 10 l



**PEGAGRAFF® HYDRO**  
**Colourless anti-graffiti varnish - two-component**

- Excellent flow
- Solvent resistant thus allowing easy removal of graffiti
- Acid resistant, alkali resistant
- Water vapour permeable - good UV resistance
- High scratch resistant



2.5 l - 5 l



**PARACEM® QUARTZ**  
**Acrylic exterior wall paint with quartz structure**

- Contains quartz and gives a textured look according to the used tools
- Perfect saponification resistance
- High durability - excellent weather resistance



5 kg - 15 kg



**PEGAGRAFF® CLEANER**  
**Liquid graffiti remover**

- Excellent and fast working - no colour
- Mild odour
- Ideal for closed rooms
- For underground and surfaces treated with Pegagraff® Hydro



0.5 l - 5 l




**DURBOCEM®**  
**Paint based on plasticized acrylic resins**

- Builds a strong bond with cement-based substrates
- Extremely suitable to be applied on damp substrates
- Can be applied on chalking substrates
- Can be recoated with Paracem®



1 l - 5 l - 10 l



**SECCO® SUPER**  
**Solvent based water repellent product**

- Makes porous and mineral substrates water repellent
- May be applied on dry recent masonry
- Deep penetration in the substrate
- Water vapour permeable (breathing)
- Does not change the color of the substrate - colorless



1 l - 5 l - 20 l



**SECCO® HYDRO CRÈME**  
**Water based hydrophobic impregnation**

- Makes mineral surfaces and mostly non-porous concrete durably water-repellent
- Good alkali resistance - Permeable to water vapour
- Very high level of penetration - practically invisible
- Solvent-free - negligible volatility



5 kg



# Lacquers - Stains - Varnishes

# WOOD

The Mathys® range of wood preservative products offers superior protection and maximum durability for all your wood projects.

The day that a wood project is installed is the day that problems can begin. Morning mist, rain, melting ice and snow are quickly absorbed by untreated wood. This makes the wood softer and makes it swell. Direct exposure to the sun causes it to dry out again and then the wood shrinks. Continuous cycles of wet, dry, swelling and shrinking make the wood warp, burst and crack. This leads to premature wood deterioration and costly repairs. Unprotected wood also ages due to constant exposure to UV rays. Persistent damp provides a perfect environment for the growth of mould, algae and other organisms that attack wood. Termites and other wood insects use wood as a food source, resulting in rot and decay.

**Choose the right product**

Wood is natural, warm and authentic. It is decorative and stylish. It is a precious and resistant material. Durable protection and decoration for your wood project: that is our goal.

*This product catalog is an overview of the entire assortment of decorative products.  
Not all listed items are available in all countries.*

PREPARATION	
RAPID® SUPER PLUS	50
PLASTOPAN SUPER N	51
MULTI CLEANER	51
PRIMERS	
FASSIPRIM®	52
FASSIPRIM® AQUA XPE	53
ADEX	53
PEGALINK®	53
FINISHING	
FASSILUX® SATIN PU	54
FASSILUX® SATIN	55
FASSILUX® GLOSS	55
FASSILUX® AQUA XPE MATT	55
FASSILUX® AQUA XPE SATIN	55
FASSILUX® AQUA XPE GLOSS	56
FASSICOAT	56
PEGACRYL® SATIN	56
FASSITEK® AQUA OPAQUE	57
FASSITEK®	58
FASSITEK® THIXO	58
PLASTI-PARKET	60
FASSITHANE GLOSS	61
FASSITHANE SATIN	61
FASSITHANE MATT	61



Type	Product	W/S	Appearance	Ins./Outs.
Pretreatment	Rapid® Super Plus		-	
	Plastopan Super N		M	
	Multi Cleaner		-	
	Adex		-	
	Porisol		-	
	Pegalink		S	
Opaque wood finish	Fassiprim®		S	
	Fassilux® Gloss		G	
	Fassilux® Satin		S	
	Fassiprim® Aqua XPE		S	
	Fassilux® Aqua XPE Matt		M	
	Fassilux® Aqua XPE Gloss		G	
	Fassilux® Aqua XPE Satin		S	
	Pegacryl Satin		S	
	Fassicoat		S	
	Fassitek® Aqua Opaque		S	
Transparent wood finish	Fassitek®		S-M	
	Fassitek® Thixo		S-M	
	Fassithane Gloss		G	
	Fassithane Satin		S	
	Fassithane Matt		M	
	Plasti-Parket		S-M	

Wood Type			
Resinous	Deciduous	Oak - Chestnut	Exotic woods
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	●
✓	✓	✓	●
✓	✓	✓	●
✱	✓		✱
✓	✓	○	✱
✓	✓	○	✱
✓	✓	○	✱
✓	✓	✓	●
✓	✓	○	✱
✓	✓	✓	●
✓	✓	✓	●
✓	✓	✓	●
✓	✓	✓	●
✓	✓	✓	●

Features Product							
Binder	Application	Coverage	Filling capacity	Durability	Standard colours	ColourShop <sup>®</sup>	Classe directive Grenelle
-	*		**				C
-	*	**	***	***			C
-	***						C
Phenolic resins	***			***			-
Vinyl	*		*	**			C
Acrylic	***	***	**	**		②	C
Alkyd	**	**	*	***	✓	②	A+
Alkyd	**	*	*	**	✓	②	A+
Alkyd	**	*	*	**	✓	②	A+
Acrylic	***	**	**	**	✓	②	A+
PU - Alkyd	***	***	*	**	✓	②	A+
PU - Alkyd	**	*	*	**	✓	②	A+
PU - Alkyd	**	**	*	**	✓	②	A+
Acrylic	*	*	**	***	✓	②	A+
Alkyd	***	***	**	***	✓	②	A+
Acrylic	***	***	*	**	✓	②	-
Alkyd	**			***	✓		A+
Alkyd	**		**	***	✓		A+
PU - Alkyd	*			**			A+
PU - Alkyd	*			**			A+
PU - Alkyd	*			*			A+
PU - Alkyd	*			***			C

**LEGENDE**

Appearance M = Matt, S-M = Semi-Matt, S = Satin, G = Gloss

Water based product (W)

Solvent based product (S)

Inside use

Outside use

In- & outside use

Except on wood with antioxidant efflorescence ( ex. iroko )

Except on wood containing oils

Except on wood with acidic resins ( ex. western red cedar )

On a modified primer

Tintable

Good

Very good

Excellent



# SURFACE PREPARATION

## FILLING UP & SANDING



### RAPID® SUPER PLUS

#### High viscosity green paint stripper

- Without methylene chloride
- Very active and effective stripping effect
- Very suitable for all kind of paints (water and solvent based)
- Also suitable as glue remover



1 l - 2.5 l



### PLASTOPAN SUPER N

#### Putty for levelling irregularities in wood

- Quick drying
- Excellent filling power
- Doesn't contain water soluble ingredients
- Does not absorb applied paint



1 kg - 5 kg



### MULTI CLEANER

#### Universal cleaning agent and degreaser

- Degreasing of surfaces - Non smelling - Non-foaming
- Inside and outside use
- Makes surfaces antistatic before painting
- Biologically degradable, user-friendly




1 l



# PRIMERS

## EXCELLENT ADHESION

- FASSIPRIM®**  
**Solvent based primer**
- Excellent flow and adhesion on wood
  - Moisture power regulating
  - High covering - quick drying
  - Easy to sand finely - very weather resistant




0.5 l - 1 l - 2.5 l - 4 l



### FASSIPRIM® AQUA XPE

#### Moisture regulating primer

- Excellent adhesion and flow - good coverage
- Quick drying - can be sanded quickly
- Easy to apply
- Matt acrylic




1 l - 2.5 l



### ADEX

#### Wood impregnation

- Strengthens the wood structure
- Improves adhesion of paint
- Strengthens untreated or stripped wood
- Durably protects wood




1 l - 5 l



### PEGALINK®

#### Universal adhesion primer

- Excellent adhesion on a lot of surfaces - also smooth
- Flexible
- Excellent flow
- UV-resistant



1 l - 2.5 l



# OPAQUE WOOD FINISH LACQUERS

## FASSILUX® SATIN PU Solvent based satin gloss enamel

- Highly abrasion and scratch resistant
- Based on alkyd urethane resins
- High gain - excellent coverage
- Simple and fast application




0.5 l - 1 l - 2.5 l

## FASSILUX® SATIN

### Solvent based satin gloss enamel

- Good coverage - excellent flow - good edge coverage
- Quick drying - even gloss finish - simple and fast application
- Good outdoor durability, weatherproof
- Excellent scratch and wear resistance



0.5 l - 1 l - 2.5 l - 10 l

## FASSILUX® GLOSS

### Solvent based high gloss enamel

- Good coverage - excellent flow - good edge coverage
- Quick drying - even gloss finish - simple and fast application
- Good outdoor durability, weatherproof
- Excellent scratch and wear resistance



0.5 l - 1 l - 2.5 l

## FASSILUX® AQUA XPE MATT

### Waterbased matt enamel

- Specially designed for interior use - low in odour and VOC
- Good coverage and adherence - quick drying
- Superior scratch resistance
- Stable gloss




1 l - 2.5 l

## FASSILUX® AQUA XPE SATIN

### Waterbased satin gloss enamel

- Can be used on wood and well prepared surfaces as steel, plastic, etc.
- Good adherence and hiding power - quick drying
- Superior scratch resistance
- Stable gloss - low in odour and VOC - good elasticity



1 l - 2.5 l






### FASSILUX® AQUA XPE GLOSS

#### Waterbased high gloss topcoat

- Can be used on wood and well prepared surfaces as steel, plastic, etc.
- Good adherence and hiding power - quick drying
- Superior scratch resistance
- Stable gloss - low in odour and VOC - good elasticity



1 l - 2.5 l



### FASSICOAT

#### Single paint system, satin gloss

- Serves at the same time as primer, surfacer and finish
- Moisture-regulating paint
- Excellent weather resistance




0.75 l - 1 l - 2.5 l - 20 l



### PEGACRYL® SATIN

#### Waterbased satin gloss acrylic lacquer

- Excellent satin gloss finish during outside exposition
- Excellent flow
- UV resistance
- Excellent coverage and scratch resistance



0.75 l - 2.5 l - 10 l

## OPAQUE WOOD FINISH STAINS

### FASSITEK® AQUA OPAQUE

#### Wood stain, satin gloss

- Can be used as a primer or as a finishing layer
- Flexible system - damp regulating - waterproof
- Is resistant to dirt - good outdoor durability, weatherproof
- Excellent coverage and flow - quick drying



1 l - 2.5 l



# TRANSPARENT WOOD FINISH STAINS

## FASSITEK® Transparent wood stain

- Transparent and light-stable
- Penetrates for deep protection - non film-forming
- Enhances the wood structure - microporous - allows the wood to breathe
- Excellent outdoor durability - good protection against UV rays



1 l - 2.5 l - 10 l

## FASSITEK® THIXO Transparent thixotropic wood stain

- Transparent and light-stable - thixotropic alkyd resins
- Penetrates for deep protection - non film-forming
- Enhances the wood structure - microporous - allows the wood to breathe
- Excellent outdoor durability - good protection against UV rays
- Thixotropic, ideal for ceilings and vertical surfaces



1 l - 2.5 l - 10 l

## MATHYS® WOOD TIPS


The colours on this card have been applied to light ash. The final colour depends on the colour of the wood and the number of applied layers of stain. The transparent base is not suitable for outdoor use. For good UV resistance, we recommend to paint the colorless shade with a wood shade.

Fassitek: obtain **deco tones** from the transparent base - reduced outdoor durability.

	Tone	Fassitek	Fassitek Thixo
2	Light Oak	✓	✓
3	Middle Oak	✓	✓
4	Dark Oak	✓	✓
5	Old Oak	✓	✓
6	Walnut	✓	✓
7	Ebony	✓	✓
9	Exotic wood	✓	
10	Pine green	✓	
11	Naturel Oak	✓	✓
12	Golden Oak	✓	✓
16	Teak	✓	
17	Palissander	✓	
18	Mahogany New	✓	
19	Cedar	✓	
20	Beech	✓	



For typographical reasons there may be color differences between the colors on this page and the actual color of the samples.





# TRANSPARENT WOOD FINISH VARNISH

**PLASTI-PARKET**  
Protection for parquet floors and wooden stairs

- Simple to use
- Excellent resistance against abrasion
- Air-drying - easy in maintenance
- Suitable for spot repairs



1 l - 2.5 l



**FASSITHANE GLOSS**  
Gloss wood varnish

- Quick drying - does not yellow
- Scratch and wear resistant
- No tendency to wrinkle when applying thick layers
- Excellent durability for outdoor use



0.5 l - 1 l - 2.5 l



**FASSITHANE SATIN**  
Satin gloss wood varnish

- Quick drying - does not yellow
- Scratch and wear resistant
- No tendency to wrinkle when applying thick layers
- Excellent durability for outdoor use



0.5 l - 1 l - 2.5 l



**FASSITHANE MATT**  
Matt wood varnish

- Quick drying - does not yellow
- Scratch and wear resistant
- No tendency to wrinkle when applying thick layers
- For indoor use - easy to clean



0.5 l - 1 l - 2.5 l



Specialisation - Quality - Sustainable

# METALS - ROOFS - FLOORS

Mathys® and Rust-Oleum® Industrial offer you a full range for metal protection, floor protection and roof protection. We have a solution for every situation. Benefit from our expertise and experience. We offer free technical inspection and customized advice.

## PARAFIX

### Fixating and impregnating primer

- Special impregnating primer for roofing and bituminous products
- Milky liquid which becomes colourless after drying
- Prevents the absorption of waterborne paints on porous substrates



0.75 l - 4 l - 18 l

Download your  
catalog for FREE!  
[www.rust-oleum.eu](http://www.rust-oleum.eu)

## PRIMERS

PARAFIX	62
---------	----

## FINISHING

VERNAC GLOSS & SATIN	64
PEGALINK®	65
PARACEM® UNIVERSAL	65

Find our other products for all metal surfaces, floors and roofs in the Rust-Oleum catalogs.





# DECORATIVE FINISH NON-FERROUS METALS



## VERNAC GLOSS & SATIN Acrylic varnish for protection and decoration of non-ferrous metals

- Completely colourless and transparent
- High weather resistance
- Alkaliresistant - excellent flexibility
- Non-yellowing




1 l - 2.5 l - 10 l - 20 l



## PEGALINK® Universal adhesion primer

- Excellent adhesion on a lot of surfaces - also smooth
- Flexible
- Excellent flow
- UV-resistant




1 l - 2.5 l



## PARACEM® UNIVERSAL Excellent covering universal paint for all outside work

- Usable on all surfaces, such as bricks, gutters, wood, aluminium, etc.
- Colour and weatherproof for long-term protection
- Protection of the dried coat against contamination by mould
- Primer and finishing coat in one



1 l - 4 l - 10 l



Imagine - Paint - Create!

# COLOUR



### COLOUR-MIXING

Our **ColourShop®** colour-mixing machine offers fast and accurate colour service. Visit [www.mathyspaints.eu](http://www.mathyspaints.eu) to find the distributor nearest to you.



**The benefits for you:**

- Special colours available, prepared while you wait
- RAL, NCS, British Standard, AFNOR, etc.
- Water-based products, with or without solvents
- Quick response to customer-specific colour requests
- Professional technical support
- Accurate and reproducible colours

**IMAGINE™**

More than 1200 contemporary and traditional colours for indoor and outdoor use.

**FACADE**

A selection of more than 400 colours for the exterior wall range of Mathys®.

**COLORIST**

297 colours, 33 colour groups. Around 33 natural basic colours are each 3 secondary and 5 detail colours grouped.

**CACHEMIRE®**

The Cachemire range is a palette of 120 colours carefully composed by experienced colour specialists.



### INDEX

ADEX	53	PARACEM® DECO PLAFOND	22
BRUSH CLEANER	31	PARACEM® DECO PRIMER	18
CACHEMIRE BETON BASE	28	PARACEM® DECO SATIN	23
CACHEMIRE BETON FINISH	29	PARACEM® DECO SEMI-MATT	23
CACHEMIRE BETON PRIMER	19	PARACEM® DECO ULTRA CLEAN MATT	24
CACHEMIRE LAQUE MATE	27	PARACEM® DECO ULTRA CLEAN XTRA MATT	23
CACHEMIRE MAT INTENSE	27	PARACEM® QUARTZ	44
CACHEMIRE MAT VELOURS	27	PARACEM® SEMI-GLOSS	44
CACHEMIRE METALLIC	29	PARACEM® SEMI-MATT	43
CACHEMIRE METALLIC FINISH	29	PARACEM® UNIVERSAL	42, 65
CACHEMIRE SABLE BASE	28	PARAFIX	62
CACHEMIRE SABLE FINISH	28	PARASIL	43
CACHEMIRE SABLE PRIMER	19	PARASIL COMPACT	38
DIVALO	26	PEGACRYL® SATIN	56
DURBOCEM®	26, 44	PEGAFIX UNIVERSAL	19, 37
ELASTOFILL®	16	PEGAFLEX®	15, 34
ELASTOPRO	14, 35	PEGAGRAFF® CLEANER	45
FAIR-DECOR	26	PEGAGRAFF® HYDRO	45
FAIRTEX®	25	PEGALINK®	53, 65
FASSICOAT	56	PEGAMAT® AQUA ISOLE	25
FASSILUX® AQUA XPE GLOSS	56	PEGAMAT® RL ISOLE	25
FASSILUX® AQUA XPE MATT	55	PEGAMAT® RL ISOLE AE	30
FASSILUX® AQUA XPE SATIN	55	PEGAPRIM EXTERIOR	36
FASSILUX® GLOSS	55	PEGAPRIM® ISOFIX	20
FASSILUX® SATIN	55	PEGAPRIM® SANITOP	20, 26
FASSILUX® SATIN PU	54	PEGAPRIM® XPRESS	20
FASSIPRIM®	52	PEGATEX®	25
FASSIPRIM® AQUA XPE	53	PLASTI-PARKET	60
FASSITEK®	58	PLASTOPAN LATEX	15
FASSITEK® AQUA OPAQUE	57	PLASTOPAN SUPER N	51
FASSITEK® THIXO	58	PORISOL®	19
FASSITHANE GLOSS	61	RAPID® SUPER PLUS	16, 50
FASSITHANE MATT	61	SECCO® HYDRO CRÈME	45
FASSITHANE SATIN	61	SECCO® SUPER	45
FIXONAL	38	VERNAC GLOSS & SATIN	64
MULTI CLEANER	16, 35, 51		
MUR-FILLER	15, 35		
MURFILL® QUARTZ	41		
MURFILL® RENOVATION PAINT	43		
MURFILL® RP SILOXAN NF	41, 43		
MURFILL® FLEECE NON WOVEN	41		
MURFILL® FLEECE WOVEN	41		
MURFILL® WATERPROOFING COATING	40		
MURFILL® WP INTER	37		
MURFILL® WP PLUS NF	41		
MURPRIM S NF	37		
PARACEM® DECO MATT	23		
PARACEM® DECO NATURE MATT	24		
PARACEM® DECO NATURE PRIMER	20		
PARACEM® DECO NATURE SATIN	24		
PARACEM® DECO NATURE SEMI-MATT	24		





**VIEW OUR REFERENCES**  
**[WWW.MATHYSPAINTS.EU](http://WWW.MATHYSPAINTS.EU)**

a **RUST-OLEUM**® brand

**RUST-OLEUM EUROPE - MARTIN MATHYS N.V./S.A.**

Kolenbergstraat 23 - 3545 Zelem - Belgium  
Tel. +32 (0)13 460 200 - Fax +32 (0)13 460 201