

Specialist paints, primers and tools

Product Catalogue



Innovation, quality and
problem solving, **since 1849**

| Contents

About Zinsser	4	Watertite®	24
Bulls Eye® 123 Plus	6	Ready Patch™	26
B-I-N®	10	Ready Patch Lite™	27
Cover Stain®	12	Gardz®	28
Bulls Eye® 123	14	Peel Stop®	29
Bulls Eye® 123 Deep tint	15	Aerosols	30 - 31
Allcoat® (Solvent-based)	16	SealCoat®	31
Allcoat® (Water-based)	18	Wallpaper Removal & Tools	32 - 33
Perma-White® (Interior)	20	Product Selector	34
Perma-White® (Exterior)	22		

Innovation. Quality. Problem Solving.

Zinsser was founded on these principles in 1849 and has remained true to its original charter for more than 150 years.

Zinsser was founded by William Zinsser (pictured below) in 1849. In its long history, Zinsser has established itself as a brand associated with unique, problem-solving products that address the needs of professional contractors and DIYers.



Innovation

From the introduction of shellac to the US market in the mid-1800s to the development of a full line of high-performance primers, wallcovering products and coatings for the long-term prevention of mould and mildew, Zinsser has been on the cutting edge of innovation, creating new products – and new product categories – to meet the needs of contractors and exceed their expectations for quality and performance.

The company has been responsible for many industry firsts: B-I-N®, the first shellac-based primer-sealer; Bulls Eye® 1-2-3, the first water-based universal primer; DIF®, the first commercial solution for wallcovering removal and Perma-White®, the first mould and mildew-proof paint. More recently, Zinsser launched Bulls-Eye 123 Plus – a water-based primer delivering performance previously only seen in solvent-based primers – reflecting its ongoing commitment to innovation.

Quality

Over the years, the name Zinsser has become synonymous with quality. Our products are manufactured in ISO 9001-certified facilities, ensuring consistent, first-class quality. Our dedication to quality extends to all areas of its business.

Problem solving products

Zinsser has earned a reputation as a company that listens to contractors and develops new products – or adds features to existing products – to meet their changing needs.



That's why Zinsser has expanded its primer technology to include new high-performance, low VOC primer-sealers; leads the industry in the development of products that improve wallpaper hanging and removal; and is constantly researching and developing new products for the long-term prevention of mould and mildew.

At Zinsser we deliver world class products that meet "real world" challenges, providing tried and tested solutions to painting problems. Our patented B-I-N primer (pictured below), for example, has never been matched or bettered!

We remain true to the traditions of innovation and quality established by our founder, William Zinsser: to develop problem-solving products that people can depend on. By sticking to these principles we have made Zinsser the primer of choice for the professional painter.

www.zinsseruk.com



Bulls Eye® 1-2-3 Plus

WATER
BASED

Next generation all surface, all purpose water-based primer, sealer & stainkiller. Interior & Exterior.

Product overview

Bulls Eye® 1-2-3 Plus is a next generation universal water-based primer, sealer and stainkiller. It is ideal for interior and exterior painting projects.

Bulls Eye® 1-2-3 Plus delivers performance benefits normally only associated with solvent-based primers, including exceptional adhesion and stain blocking.

No other water-based primer delivers the stain blocking power of Bulls Eye® 1-2-3 Plus. It is specially formulated to resist re-wetting, meaning it can block water soluble stains like a solvent-based primer and seal oil-soluble stains, meaning painting projects can be completed with just one primer.

Uniquely, it can be applied directly over water and smoke stains.

Thanks to Hydro Pliolite® resin, Bulls Eye® 1-2-3 Plus delivers unparalleled adhesion and deals effortlessly with hard to paint interior and exterior substrates such as glossy surfaces, ceramic tiles, galvanised metal, vinyl, hardboard, melamine, varnish, plastic, GRP, UPVC, wood, masonry and more.

Bulls Eye® 1-2-3 Plus is rust inhibitive and ideal for new metal. It resists flash rusting in its “wet” state – and provides rust resistance for the life of the coating.

It dries to a smooth, tight, water-resistant film that is perfect for painting iron railings, steel doors, metal panels, duct work, galvanised gutters – any interior or exterior metal surface.

Bulls Eye® 1-2-3 Plus is mould and mildew-resistant, making it ideal for high-humidity areas such as bathrooms and laundry rooms. It offers effective resistance to the formation of mould and mildew on the underside and surface of the primer film, prolonging the life of your paint job.

All of the above benefits combine with ultra low VOC content, a lightning quick drying time of just 30 minutes and a 1 hour recoat time.

Key features and benefits

- Low odour, water-based formula
- Primer, sealer and stainkiller
- Based on Hydro Pliolite® resin – unrivalled adhesion
- Blocks the toughest of stains – even water and smoke
- For any interior / exterior surface
- Dries in 30 mins, recoat in 1 hour
- 12.5pH Alkali resistant
- Ultra low VOC



© Hydro Pliolite is a registered trademark of OMNIVA Solutions

Application information

Coverage:	10m ² per Litre
Touch dry:	30 minutes
Full cure:	7 days
Recoatable:	1 hour

Pack Sizes

1L, 2.5L, 5L


Colour(s)

• White

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)



www.zinsseruk.com





B-I-N®

The ultimate performance shellac-based primer-sealer & stain killer.

Product overview

B-I-N® is the ultimate shellac-based primer, sealer and stain killer. It is perfect for use on interior surfaces and spot priming of exterior surfaces.

B-I-N® offers unparalleled adhesion to glossy surfaces – including glass – without the need for scuff sanding and blocks stubborn and persistent stains. The high adhesion shellac formula seals porous surfaces with excellent enamel holdout, even sealing bleeding knots and sap streaks. B-I-N® works brilliantly on water stains, mildew stains, nicotine stains, oil stains, marker pens stains and more.

B-I-N® permanently blocks every kind of odour (from smoke and fire damage to odours from pets and nicotine). Its dried film is non-toxic and hypo-allergenic, it may be used in areas where incidental contact with food items occur.

Perfect for interior ceilings, walls, doors and related paintable surfaces and spot priming on exterior metal, trims, PVC and wood.

Key features and benefits

- Ultimate performance primer-sealer
- Permanently blocks odours
- Unparalleled adhesion to any surface without sanding
- For interior and spot exterior use
- Seals knots and sap streaks
- Dries in just 15 minutes
- Recoatable in 45 minutes
- Tintable to mid tone colours



Application information

Coverage:	12.5m ² per Litre
Touch dry:	20 minutes
Full cure:	1 - 3 days
Recoatable:	45 minutes

Pack Sizes

500ml, 1L, 2.5L, 5L, 10L

Colour(s)

- White
- May be tinted to mid-tone colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)



39

ZINSSER
QUALITY SINCE 1849

**COVER
STAIN**

INTERIOR & EXTERIOR

PRIMER-SEALER

STAIN KILLER



Dries in 30 minutes

Recoat in 2 hours



5L

Cover Stain®

13

Sticks to all surfaces without sanding. Recoat in only two hours.

Product overview

Cover Stain® is the only interior / exterior primer, sealer, stain sealer and bond coat that dries for recoat in only two hours.

On interior surfaces, Cover Stain® dries quickly and has great hiding power providing outstanding stain killing and enamel undercoating performance. Stains of all kinds are permanently sealed so topcoats are blemish free. Cover Stain® is especially effective on nicotine and water stains. New wood trim can be primed, sanded and topcoated the same day, saving time and money.

On exterior surfaces, Cover Stain® has a unique formulation that delivers full penetration and flexibility on all surfaces, especially dimensionally unstable wood panelling and trim, where few oil-based primers can succeed. Cover Stain® resists cracking and peeling and is compatible with all decorative top coats.

Key features and benefits

- Interior and exterior
- Adheres to all surfaces without sanding
- Seals water, smoke and nicotine stains
- Our best exterior wood sealer
- Blocks cedar and redwood bleed
- Touch dry in 35 minutes
- Recoatable in 2 hours
- Tintable to mid tone colours



Application information

Coverage:	9.8m ² per Litre
Touch dry:	35 minutes
Full cure:	4 - 7 days
Recoatable:	2 hours

Pack Sizes

500ml, 1L, 2.5L, 5L, 10L

Colour(s)

- White
- May be tinted to mid-tone colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Bulls Eye® 1-2-3

WATER
BASED

Water-based all surface, all purpose primer, sealer & stainkiller. Fast drying time. Interior & exterior.

Product overview

Bulls Eye® 1-2-3 is our classic universal interior and exterior, water-based, primer-sealer. It offers low odour application, quick drying convenience and excellent adhesion to glossy surfaces.

Bulls Eye® 1-2-3 effectively primes and seals a wide variety of interior and exterior surfaces. A 'bond coat' primer that's great for hard-to-stick surfaces, it offers excellent adhesion without sanding. Bulls Eye® 1-2-3 also prevents rust formation when applied over clean ferrous metal such as iron and steel.

Bulls Eye® 1-2-3 is mould and mildew-resistant, making it ideal for high-humidity areas such as bathrooms and laundry rooms. It offers effective resistance to the formation of mould and mildew on the underside and surface of the primer film, prolonging the life of your paint job.

Bulls Eye® 1-2-3 is great for blocking stains. It permanently and completely seals graffiti, grease spots, tar and asphalt – inside and out. For oil and water stains, fire and smoke damage try our next generation Bulls Eye® 1-2-3 Plus. (Page 6).

Bulls Eye® 1-2-3 is rust inhibitive and ideal for new metal. It resists flash rusting in its "wet" state – and provides rust resistance for the life of the coating. It dries to a smooth, tight, water-resistant film that is perfect for painting iron railings, steel doors, metal panels, duct work, galvanised gutters – any interior or exterior metal surface.

It has a quick 30 minute drying time and 1 hour dry time and can be tinted towards the colour of your topcoat (mid-tone colours only) to eliminate the need for one coat of paint – saving both time and money.

Key features and benefits

- Interior and exterior
- Adheres to all surfaces without sanding
- Seals stains, graffiti and tannin bleed
- Mould and mildew resistant film
- Rust inhibitive – great for new metal
- Dries in 30 minutes, recoatable in 1 hour
- Tintable to mid tone colours



Application information

Coverage:	10m ² per Litre
Touch dry:	30 minutes
Full cure:	7 days
Recoatable:	1 hour

Pack Sizes

500ml, 1L, 2.5L, 5L, 10L

Colour(s)

- White
- May be tinted to mid-tone colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Bulls Eye® 1-2-3 Deep Tint

WATER
BASED

15

All-purpose 100% acrylic resin. Water-based, interior & exterior stain blocking.

Product overview

Bulls Eye® 1-2-3 Deep Tint offers effective resistance to the formation of mould and mildew on the underside and surface of the primer film, prolonging the life of your paint job.

A great stain blocker, permanently and completely sealing stains, Bulls Eye® 1-2-3 Deep Tint is rust inhibitive – great for new metal and has a fast 1 hour dry time; it can be tinted toward the colour of your topcoat (with up to 60ml of colourant per 5 L) to eliminate the need for more than one coat of paint – saving both time and money.

Unlike other water-based primers, it dries to a smooth, tight film and resists flash rusting. Bulls Eye® 1-2-3 Deep Tint inhibits long-term rust from developing under the primer film when dry, making it ideal for priming interior and exterior metalwork.

Bulls Eye® 1-2-3 Deep Tint works brilliantly in high-humidity areas like bathrooms and laundry rooms. Formulated with high performance proprietary resins, it is the go to primer for binding chalky surfaces like aluminium or previously painted siding or possibly high pH surfaces (up to 12.5).

With superior sealing qualities and great hold out, Bulls Eye® 1-2-3 Deep Tint is also an outstanding base coat for any decorative painting or faux finish.

Key features and benefits

- Interior and exterior
- Adheres to all surfaces without sanding
- Mould and mildew resistant film
- Rust inhibitive – great for new metal
- Fast 1 hour dry time
- Also available in white base which is tintable to mid-tones



Application information

Coverage:	10m ² per Litre
Touch dry:	30 minutes
Full cure:	7 - 14 days
Recoatable:	1 hour

Pack Sizes

1L

Colour(s)

- White
- To be tinted to mid to deep colours*

Application



* Not intended for use untinted.

Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

AllCoat® (Solvent-Based)

4-in-1 primer, sealer, stain blocker & finish. For all interior surfaces. Virtually odourless.

Product overview

AllCoat (Solvent-Based) is our ultimate interior refurbishment paint. It is a 4-in-1 primer, sealer, stain blocker and finish. It is ideally suited to commercial interior applications and offers exceptional sprayability, one coat coverage and virtually odour free application.

AllCoat (Solvent Based) is our ultimate airless spray product. Its 4-in-1 formula means exceptional results can be achieved in lightning quick time.

Unique polymers developed and manufactured by Zinsser allow direct application over glossy surfaces, enamel paints, clear finishes, Formica®, Plastisol®, UPVC, ceramic tile, metals and more – without tedious sanding or surface deglossing!

Use on finished and unfinished walls, suspended ceiling tiles and frames, doors and trim of refits and commercial properties like supermarkets, warehouses, factories – anywhere a fast-drying, high-adhesion multi-surface finish is needed!

Key features and benefits

- Ideal for airless spray application
- The ultimate ceiling refurbishment paint
- 4-in-1 primer, sealer, stain blocker & finish
- Adheres to all surfaces without sanding
- Covers and seals most paintable surfaces
- Ideal for new plaster and other surfaces with up to 12.5pH
- Sands crisply to powder within 2 hours
- Lightning quick 1 hour drying time
- Very low odour
- Tintable to mid tone colours
- Non-yellowing finish



Application information

Coverage:	9m ² per Litre
Touch dry:	1 hour
Full cure:	7 days
Recoatable:	Sand and recoat in 2 hours

Pack Sizes

5L, 10L

Colour(s)

- White
- Tintable to pastel and mid-tone colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)





AllCoat® (Water-Based)

WATER
BASED

19

Multi-surface primer & finish. Flat, durable, non-yellowing finish. Very low odour.

Product overview

AllCoat (Water-Based) is a multi-surface primer, sealer and finish for interior applications. It is perfect for large commercial environments and ideally suited to airless spraying. One coat is all that is needed to cover and seal most surfaces.

AllCoat (Water-Based) is a great underbody for enamel topcoats, it resists grain rise allowing a smooth flow that levels evenly. It can be sanded down to a crisp powder within 1 hour.

AllCoat (Water-Based) is Ideal for large commercial wall and ceiling applications as it is self sealing and dries with very low odour.

It is ideally suited to spray application and is widely used to refurbish suspended ceiling tiles and frames in environments such as supermarkets and car showrooms.

Key features and benefits

- Primer, sealer and finish in one
- Ideal for large commercial environments
- Perfect for airless spray application
- One coat application on most substrates
- Adheres to all surfaces without sanding
- Ideal for large commercial painting projects
- Great for suspended ceiling tiles and frames
- Ideal for new plaster and other surfaces with up to 12.5pH
- Sands crisply to powder within 1 hour
- Very low odour
- Tintable to mid-tone colours
- Non-yellowing finish



Application information

Coverage:	10m ² per Litre
Touch dry:	30 minutes
Full cure:	3 - 5 days
Recoatable:	1 hour

Pack Sizes

10L

Colour(s)

- White
- Black
- Tintable to pastel and mid-tone colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Perma-White® (Interior)

WATER
BASED

Prevents the growth of mould & mildew. Water-based. 5 year guarantee.

Product overview

Perma-White® is guaranteed to prevent the growth of mould and mildew on the paint film for at least 5 years.

Perma-White® has proven its effectiveness against mould and mildew growth on the paint film in severe independent laboratory tests when exposed to combined strains of the most common and problem-causing mould and mildew spores in today's environment.

Perma-White® interior paint protects itself against the damaging effects of unsightly mould and mildew as it brightens ceilings, walls, trim and other related paintable interior surfaces.

Perma-White® bonds to existing solvent-based or glossy paints – even Formica® and ceramic tile without sanding. Perma-White® also seals flat paint, new drywall, cement block and concrete. It is ideally suited for any area where conditions of persistent high humidity, frequent temperature changes and poor air circulation may promote mould and mildew growth and cause deterioration of the paint film.

Perma-White® Interior Eggshell Paint - Recommended for application in high-humidity areas where a durable, low sheen finish is desired such as finished basements and kitchens.

Perma-White® Interior Satin Paint - A scrubbable, satin finish recommended for high-humidity areas that are subject to challenging wear and tear. Ideal for bathrooms and laundry rooms.

Perma-White® Interior Semi-Gloss Paint - Provides a beautiful and durable semi-gloss finish. Ideal for high-traffic areas where surfaces are exposed to demanding wear and tear. Recommended for trim, baseboards, cabinets, doors, etc. In addition to residential uses, Perma-White® is ideal for hotels, nursing homes, schools, hospitals etc.

Key features and benefits

- Mould and Mildew-Proof™ paint film – guaranteed for 5 years
- Lifetime durability guarantee
- Washable, scrubbable, stain and moisture resistant finish
- Self-priming – sticks to surface without sanding
- Fade Resistant
- Water-based, low odour
- Tintable to off-white, pastel and medium colours

Application information

Coverage:	10m ² per Litre
Touch dry:	30 minutes
Full cure:	7 - 10 days
Recoatable:	2 hours

Pack Sizes

Satin:	1L, 2.5L, 5L, 10L
Eggshell:	1L, 2.5L, 5L, 10L
Semi Gloss:	984ml, 3.72L, 10L

Colour(s)

- White
- Tintable to off-white, pastel and medium colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)





Perma-White® (Exterior)

WATER
BASED

23

Prevents the growth of mould & mildew. Water-based. 15 year guarantee.

Product overview

Perma-White® Exterior paint is guaranteed to prevent the growth of mould and mildew for five years and will resist fading cracking, peeling and blistering for a guaranteed fifteen years.

With outstanding adhesion and a washable surface this product is self-priming, fast drying and ready to recoat in 2 hours. It is formulated to withstand extreme humid conditions and mildew prone areas.

Ideal for residential and commercial applications, Perma-White® Exterior produces a tough, durable, washable finish that withstands chalking, moisture and resists dirt pickup – key conditions that promote mould and mildew growth on the paint film and eventually cause paint failure.

Available in satin and semi-gloss finishes, Perma-White® Exterior can be tinted to off-white, pastel or medium earth tone colours with fade resistant beautiful results.

It offers excellent hide, great touch-up, outstanding adhesion and easy soap and water clean up. It is self-priming, fast drying – ready to recoat in 2 hours- and spatter resistant.

Key features and benefits

- Mould and Mildew-Proof™ paint film guaranteed for 5 years
- Durable, long lasting finish – guaranteed for 15 years
- Self-priming – no sanding required
- Fade resistant
- Resists dirt and moisture
- Tintable to off-white, pastel and medium colours
- Satin and Semi-gloss finishes



Application information

Coverage:	10m ² per Litre
Touch dry:	30 minutes
Full cure:	7 - 10 days
Recoatable:	2 hours

Pack Sizes

Satin:	984ml, 3.72L, 10L
Semi Gloss:	984ml, 3.72L, 10L

Colour(s)

- White
- Tintable to off-white, pastel and medium colours

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Watertite®

Very low odour. Prevents the growth of mould & mildew. Guaranteed for 5 years.

Product overview

Watertite® waterproofing paint is guaranteed to keep water out and prevent future mould and mildew on the paint film for a minimum of 5 years. It can easily be applied to wet or dry surfaces creating a smooth, non-gritty finish.

Watertite® Waterproofing Paint has a unique solvent based formula that combines a state-of-the-art waterproofing resin with Portland cement to create a coating that stops up to 34psi of water pressure.

It also contains a mildewcide to prevent the growth of mould and mildew for a minimum of five years after application, making it great for surfaces where mould and mildew can be problematic.

Unlike other waterproofers, Watertite® waterproofing paint can be applied to dry, damp or wet surfaces, so water problems can be cured immediately. It can be recoated in just four hours and dries to a smooth, bright white, non-yellowing finish that resists dirt and dust pick-up.

Watertite® waterproofing paint can be tinted to most off-white or pastel colours and has an ultra low odour formula. It adheres to any interior or exterior masonry surface, above and below grade and is formulated to prevent recurring efflorescence on concrete and brickwork.

Key features and benefits

- Guaranteed to stop up to 34psi of water pressure
- Prevents the growth of mould and mildew on the paint film for 5 years – guaranteed!
- Smooth, non-gritty finish applies easily to wet or dry walls
- Ideal for basements and other interior / exterior surfaces
- Ultra low odour solvent-based formula



Application information

Coverage:	2m ² per Litre
Touch dry:	1 hour
Recoatable:	4 hours
Full cure:	7 - 14 days

Pack Sizes

5L, 10L

Colour(s)

- White
- Tinting - max. 30ml / 5 litres (*Tints easily to beige, blue and grey*)

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)



Ready Patch™

WATER
BASED

Heavy duty, filling & patching compound. Shrink resistant. Dries quickly & sands easily.

Product overview

Ready Patch™ dries quickly and sands easily to a smooth surface that is ready for painting. Great for heavy duty repairs over drywall, plaster, wood, metal and masonry.

Ready Patch™ is a silica free professional filling and patching compound, it is smooth and easy to apply yet rock-hard when cured. Ready Patch™ combines the workability of filling paste with the strength of plaster for long-lasting, professional-looking results. It is full-bodied for heavy-duty interior / exterior repairs and dries fast – outperforming vinyl filling. It can even be painted when dry to touch and is smooth and easy to apply.

Ready Patch™ sticks to metal and is shrink resistant, it will not sag or crack like drywall mud.

Key features and benefits

- Silica free
- Professional formula heavyweight patching compound
- Dries quickly and sands easily
- Interior or light duty exterior use
- Shrink, sag, and crack resistant
- Soap and water clean up
- Can be painted when dry to the touch



Application information

Coverage: Approximately 0.33m² per litre applied at a thickness of 3mm

Pack Sizes

236ml, 473ml, 946ml, 3.78L

Colour(s)

- Off-white
- Tinting - add a few drops of universal colourant and blend in thoroughly

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Ready Patch™ Lite

WATER
BASED

27

Light duty filling & patching compound. Resists shrinking & cracking. Dries quickly.

Product overview

Perfect for filling nail holes, cracks, gouges – even hammer dents in wood and drywall, Ready Patch™ Lite is specially developed for interior or light duty exterior use.

It is easy to tool – it has a firm and smooth consistency that will not crumble or fall off the putty knife – and has excellent adhesion to most surfaces. It cleans up easily with water and can be painted when dry to the touch. Shrink, sag, and crack resistant Ready Patch™ Lite dries quickly and sands easily. Use wherever simple, high speed patching is needed.

Key features and benefits

- Professional formula lightweight patching compound
- Silica free
- Dries quickly and sands easily
- Interior or light duty exterior use
- Shrink, sag, and crack resistant
- Soap and water clean up
- Can be painted when dry to the touch



Application information

Coverage: Approximately 0.33m² per litre applied at a thickness of 3mm

Pack Sizes

236ml, 473ml, 946ml, 3.78L

Colour(s)

- Off-white
- Tinting - add a few drops of universal colourant and blend in thoroughly

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Gardz®

WATER
BASED

High performance water-based sealer. Dries fast to a hard, moisture-proof clear film.

Product overview

A unique water-based sealer for porous and potential problem surfaces. Gardz® is formulated to deeply penetrate and dry to a hard, moisture resistant film that seals and binds down porous, chalky and crumbling surfaces, paints and textured finishes.

Gardz® takes the “problem” out of problem surfaces. Deeply penetrating, it dries to a rock-hard, water-resistant finish; this protects surfaces from damage during the next redecorating project.

Gardz® is recommended for damaged drywall, new drywall, spackling and joint compound skim coats, plaster, calcimine, uncoated wallpaper, wallcovering adhesive residue, textured paint and more.

Key features and benefits

- Repairs torn paper on damaged drywall, eliminates bubbles
- Seals old wallpaper adhesive
- Water-based, low odour, dries clear
- Dries fast to a hard, moisture-proof film
- Binds down chalky surfaces
- Can be applied to high-pH surfaces
- Cleans up with soap and water



Application information

Coverage:	5-10m ² per Litre
Touch dry:	30 minutes
Hard dry:	3 hours
Recoatable:	3 hours

Pack Sizes

5L

Colour(s)

- Dries water clear
- Tinting is not recommended

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Peel Stop®

WATER
BASED

29

Interior & exterior use. Clear binding primer. Flexible & breathable.

Product overview

Peel Stop® is a clear, flexible bridging sealer for surfaces where peeling, flaking, dusting or chalking is a problem. Use indoors or out to form a breathable membrane over questionable or faulty substrates.

Peel Stop® tightly bonds to old paint and problem areas forming a sound surface for new paint. Peel Stop® forms a tough acrylic film that stays flexible and helps prevent peeling by letting moisture escape. A clear sealer, Peel Stop® works like nothing else to stop peeling problems on old or new surfaces.

Recommended uses: Peel Stop® prevents peeling, blistering, checking, cracking and flaking on wood siding and trim, yellow pine, rough sawn cedar, textured plywood, chalking or powdering, concrete and concrete block, stucco and galvanized gutters.

Key features and benefits

- Extend the life of problem surfaces
- Binds cracking, chalking and peeling paint
- Glues down cracks and gaps under edges of old paint
- Interior and exterior use
- Recoat in 2 hours
- Soap and water cleanup
- Flexible/breathable



Application information

Coverage:	7.4 to 9.8m ² per Litre
Touch dry:	1 hour
Full cure:	7 - 10 days
Recoatable:	2 hours
Thinning:	Thinning is not recommended

Pack Sizes

1L, 5L

Colour(s)

- Dries clear
- Tinting is not recommended

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Aerosols

Fast drying, multi-surface spray primers, sealers & stain killers.

B-I-N®

B-I-N® Aerosol is great for priming interior surfaces and spot priming exterior surfaces. It is formulated to seal, prime and block out stains on previously painted or new work and dries in minutes.

Key features and benefits

- For interior and spot exterior use
- Highly effective stain sealer
- Seals knots and sap streaks
- Permanently blocks odours
- Adheres to surfaces without sanding
- Dries in just 10 minutes
- Recoatable in 45 minutes

Application information

Coverage:	2m ² per aerosol can
Touch dry:	10 minutes
Hard dry:	1 - 3 days
Recoatable:	45 minutes
Pack size:	400ml Aerosol
Colour:	White



Cover Stain®

Cover Stain® Aerosol is an interior / exterior primer, sealer, stain sealer and bond coat that dries for recoat in just two hours.

Key features and benefits

- Ideal for spot work and priming small objects
- Interior and exterior
- Seals water, smoke and nicotine stains
- Sticks to all surfaces without sanding
- Best exterior wood sealer
- Blocks cedar and redwood bleed
- Fast drying

Application information

Coverage:	2m ² per aerosol can
Touch dry:	35 minutes
Hard dry:	4 - 7 days
Recoatable:	2 hours
Pack size:	400ml Aerosol
Colour:	White



CoversUp™

CoversUp™ Aerosol is a low odour vertical aerosol that is a stain killer and ceiling touch-up paint in one. Zinsser's stain blocking primer technology is incorporated into this next generation product that offers a flat white finish, which matches most acoustic ceiling tiles and white ceiling paints.

Key features and benefits

- Vertical aerosol for overhead projects
- Quick cure for water stains
- Flat white finish matches most ceiling tiles
- Great hide – non-yellowing
- Low odour – all purpose interior use
- Use under or over water / solvent-based paints

Application information

Coverage:	Approximately 1.5m ² per aerosol can
Touch dry:	30 minutes
Hard dry:	2 hours
Recoatable:	2 hours
Pack size:	400ml Aerosol
Colour:	White



SealCoat™

Compatible with clear wood finishes. Can be sanded & recoated in minutes.

Clear Shellac

Clear Shellac Aerosol is an alcohol-based solution of pure lac, a natural resin that dries to a transparent film with a golden cast.

Key features and benefits

- Adheres over any existing wood finish
- Dried film is an odour barrier coating
- Dried film is non-toxic and hypoallergenic
- Classic finish for wood trim, paneling and furniture
- Great protective sealer for crafts and household projects
- Dries lightning fast – can be recoated in under 45 minutes
- Does not darken or yellow with age

Application information

Coverage: 2m² per aerosol can
Touch dry: 10 - 15 minutes
Recoatable: 20 - 30 minutes
Pack size: 348g Aerosol
Colour: Clear finish



Product overview

SealCoat™ is the perfect sanding sealer because it penetrates the surface, dries quickly and gives a rich tone to wood surfaces. Non-yellowing.

SealCoat™ can be applied to any existing finish to protect the surface from strong solvent-based coatings. SealCoat™ seals all types of wood surfaces including oak, maple, chestnut, mahogany, walnut, birch, poplar, cherry and more. It is recommended for interior woodwork such as paneling, moulding, trim, windows, doors, cabinets, furniture and toys. SealCoat™ is also great for wood floors.

Key features and benefits

- Compatible with clear wood finishes
- Great for sealing interior wood, including floors
- Dries lightning fast – can be sanded and recoated in minutes
- Does not darken or yellow with age
- Gives extra beauty and warmth to water-based polyurethanes



Application information

Coverage: Approximately 24 – 50m² per litre
Touch dry: 10 minutes
Recoatable: 20 - 30 minutes

Pack Sizes

1L

Colour(s)

• Clear finish

Application



Technical Support Team: **(0191) 410 6611**
 (Monday to Friday 08:45am - 05:00pm)

Wallpaper Removal & Tools

Accessories for the easy, safe and effective removal of existing wallpaper.

Paper Tiger® Single Head

Paper Tiger® Single Head has unique patented scoring wheels that perforate wallpaper allowing DIF Wallpaper Stripper to penetrate. Cutting through several layers of wallpaper without damaging the walls with its automatic depth control. It tears and lifts small pieces of the wallpaper surface making removal quick and easy.

Key features and benefits

- Scores an entire room in minutes
- Perforates wallcovering to allow wallpaper removal solutions to penetrate
- Will not damage walls
- Eliminates the need for steamers
- Follows the contours of a wall



Paper Tiger® Triple Head

The Paper Tiger® Triple Head scoring tool has unique patented scoring wheels that perforate wallpaper allowing DIF® Wallpaper stripper to penetrate. Perfect for large wallpaper removal projects. Triple heads work rapidly cutting through several layers of wallpaper without damaging walls.

Key features and benefits

- Scores an entire room in minutes
- Perforates wallcovering to allow wallpaper removal solutions to penetrate
- Will not damage walls
- Eliminates the need for steamers
- Follows the contours of a wall



Paper Scraper™

Paper Scraper™ easily removes old wallpaper or residual adhesive after applying DIF® Wallpaper Stripper. Its unique design maintains the best scraping angle; a reversible, non-razor safety blade works without damaging the surface of the wall.

Key features and benefits

- Non razor safety blade
- Reversible blade
- Unique design maintains perfect scraping angle without damaging walls
- Faster, easier and safer than razor-edge scrapers
- Ideal for scraping off residual adhesive



Flexible Smoothing Tool

Zinsser's Flexible Smoothing Tool is a revolutionary wallpapering tool that smoothes out wrinkles, sets seams and guides trims. Its patented double-bevel edge guides over surfaces and slides along for neat, clean trims.

Key features and benefits

- Perfect for applying wallcoverings, borders and self-adhesives
- Replaces smoother, seam roller and trim guide
- Patented double-bevel edge glides without grabbing
- Cut resistant acrylic resists damage with trim knife
- Eliminates problems like stretching, scratching, tearing and split seams
- Perfect to burnish self-adhesives for a strong bond



DIF® Wallpaper Stripper

DIF® Wallpaper Stripper is the patented wallpaper stripper based on enzyme action for fast and easy removal of wallcoverings.

With DIF® wallcoverings can be stripped quickly and reliably. DIF® is different from any other wallpaper remover solution on the market. It is the only one that contains special enzymes – a unique, patented formulation with a superior, more effective blend of wetting agents that speeds penetration of the wallpaper and resolubilisation of the paste.

Using DIF® Wallpaper Stripper is better than attempting to remove wallpaper with hot water, vinegar and water, or other home brew solutions.



DIF® requires no steamers, so you do not have to bear the cost, mess, difficulty, or danger associated with the use of wallpaper steamers.

Key features and benefits

- Unique patented enzyme formula
- Powerful concentrate
- Removes residual paste
- Low odour – all purpose interior use
- Economical, just mix with warm water
- Easy to apply by sprayer, roller or sponge

Pack Sizes

650ml, 3.8L

Colour(s)

• Clear

Application



Technical Support Team: **(0191) 410 6611**
(Monday to Friday 08:45am - 05:00pm)

Product Selector

Recommended application information for B-I-N®, Bulls Eye® 123 Plus, Cover Stain® & AllCoat® (Solvent-Based).

Interior Surfaces

Drywall
Plaster (1)
Limewash / Lime Plaster
New Wood Trim / Doors
Plywood
Brick
Concrete (1)
Galvanised New (3) / Old
Aluminium/Stainless Steel
Plasticol™
Fibreglass / GRP
Glossy Paints / Glass
Varnish / Woodstain
Clear Finishes
Wood Panelling / Laminates
Ceramic Tiles
Formica®
Wallcovering (non-porous)
Powder Coatings
Acoustic Tiles

B-I-N®	Bulls Eye® 123 Plus	Cover Stain®	AllCoat® (Solvent Based)
E	E	E	E
G	E	G	E
NR	E	NR	E
E	E	E	E
G	G	E	E
NR	E	NR	NR
G	E	G	G
NR	E	NR	G
G	E	G	G
E	E	E	E
NR	E	NR	NR
E	E	E	E
E	NR	NR	NR
E	G	G	G
E	E	G	G
E	G	G	G
E	E	E	E
E	E	E	E
NR	E	E	E

Exterior Surfaces

Cedar & Redwood
Plastisol™
Pressure Treated Wood
Brick
Concrete / Stucco
Glossy Paints / Glass
Galvanised New (3) / Old
Aluminium / Stainless Steel
Wrought Iron / Cast Iron / Copper
Lead / Asbestos
PVC
Powder Coatings

B-I-N®	Bulls Eye® 123 Plus	Cover Stain®	AllCoat® (Solvent Based)
*	G	E	*
*	E	E	*
*	E	E	*
*	E	NR	*
*	E	G	*
*	E	E	*
*	E	NR	*
*	E	G	*
*	E	E	*
*	E	NR	*
*	E	G	*
*	E	E	*

Stains & Odours

Tannin Bleed
Knots & Sap
Flash Rusting
Smoke & Fire Damage
Water Damage
Nicotine / Tobacco
Mildew / Mould Stains (2)
Grease
Tar / Bitumen / Asphalt
Creosote
Odour Sealing
Lipstick / Crayon

B-I-N®	Bulls Eye® 123 Plus	Cover Stain®	AllCoat® (Solvent Based)
E*	G	E	E*
E*	NR	NR	NR
E*	E	G	G*
E*	E	E	E*
E*	G	E	E*
G	G	E	E*
E*	NR	E	E*
E*	E	E	E*
NR	E	NR	NR
NR	E	NR	NR
E*	NR	NR	NR
E*	E	G*	G*

E = Excellent (Best recommendation) **G = Good** (May be used on this surface) **NR = Not Recommended**.

Notes: * Use B-I-N for spot priming on exterior surfaces. **1)** Allow new plaster/cement & stucco to cure 60-90 days before coating. **2)** Use Blackfriar Fungicidal Wash to remove mould/mildew before priming. **3)** Degrease new galvanised steel with methylated spirit before priming. **Read instructions on product container for further information.**

www.zinsseruk.com



Specification Service

The Zinsser range of products includes professional coatings for interior and exterior use. Our field-based Specification team is on hand to ensure you get the right paint for your project.

Our commercial specification service is offered free of charge and our experienced team will work with you at every stage of your project, from initial survey through to specification and application of coatings, providing on-site advice, training and technical assistance.

We're UK based and work with professional specifiers, architects, maintenance managers, FM companies, property owners and professional on-site spray contractors to solve a wide variety of coating and painting problems.

If you have a professional painting project you'd like us to help you with, simply get in touch.

Technical Support

Got a painting problem you need to solve? Not sure what primer you need, or how much you require? Don't worry, help is at hand.

Our Technical Support Team is at your service to answer any questions and offer expert advice. Based at our UK head office, the team has a thorough understanding of the Zinsser range. They can quickly tell you which product is best suited to your job, give you advice on the best method of application and help you establish how much you'll need.

You can contact our team Monday to Friday, 08.45am – 05.00pm.

William Zinsser (UK) Ltd.,
Portobello Industrial Estate,
Birtley,
Chester-le-Street,
County Durham,
DH3 2RE,

Tel: +44 (0)191 410 6611
Fax: +44 (0)191 410 6611

Email: enquiries@tor-coatings.com
www.zinsseruk.com

Also available from Tor Coatings Limited:

• TRUSTED QUALITY SINCE 1921 •
RUST-OLEUM®

Ardenbrite™
Finest metallic paints since 1927

McRatcliffe

BLACKFRIAR®
A TRADITION OF EXCELLENCE SINCE 1894

Bollom®
FIRE PROTECTION

Colours shown are intended for guidance only and, due to the limitations of the printing process, may not be representative of actual paint colour. Coverage rates and drying times are theoretical and may vary depending on surface being coated and porosity.